

## INTISARI

Masih banyak penderita epilepsi yang mendapatkan pengobatan yang tidak sesuai dengan jenis serangannya sehingga perlu strategi yang tepat untuk penanganannya. Penelitian ini dilakukan untuk mengetahui profil pengobatan epilepsi di RSUP Dr. Sardjito periode 1 Januari 1999 sampai dengan 31 Desember 2000.

Penelitian ini bersifat deskriptif. Data diambil dari catatan medik RSUP Dr. Sardjito. Hasil penelitian menunjukkan bahwa obat yang banyak dipakai adalah kombinasi fenitoin dengan fenobarbital yaitu 19,3%, sedangkan untuk obat tunggal adalah fenitoin yaitu 27,5%. Cara pemberian obat secara politerapi 54,2%, secara monoterapi 45,8%. Kombinasi terapi yang paling banyak adalah kombinasi dua obat yaitu 51,4%. Cara penghentian obat secara tapering 4,6%, masih melanjutkan obat 11,9%, tidak ada keterangan 83,5%. Jenis serangan terbanyak general yaitu 37,6%, paling sedikit parsial komplek yaitu 7,3%. Umur yang sering menderita epilepsi antara 0-15 tahun yaitu 73,4%. Penderita epilepsi terbanyak adalah laki-laki yaitu 62,4%.

Hasil penelitian ini menunjukkan bahwa profil pengobatan epilepsi di RSUP Dr. Sardjito sudah memenuhi standar pengobatan epilepsi.

**Kata kunci :** epilepsi- profil terapi-obat antiepilepsi

## **ABSTRACT**

The good management of epileptic patient is needed to prevent inappropriate treatment.

The aim of this study is to reveal epileptic treatment profile in RSUP Dr. Sardjito periode of January 1999 to Desember 2000.

This is a descriptive study. The data was collected from medical record of RSUP Dr.Sardjito.The results showed that the most commonly used are the combination of fenitoin and fenobarbital(19,3%), and for the single is fenitoin(27,5%).About 54,2% the usage of the drugs was given as politerapy and 45,8% as monoterapy. The most combination of therapy is combination of two drugs that is 51,4%. The consumption of drugs stopped as tapering for about 4,6%,continuously about 11,9%,and 83,5% no information about it.The most attack is general for about 37,6% and the less attack is partial complex about 7,3%. The most frequent age that suffered from epileptic is between 0-15 years old about 73,4%.About 62,4% the epileptic patient is male.

This results indicate that the profile of epileptic treatment in RSUP Dr. Sardjito fulfilled the standart of epileptic treatment.

**Keywords :** epileptic, profile of therapy, antiepileptic drugs