

## DAFTAR PUSTAKA

- A, Soleymani., and Moazzezi. (2012). Frequency of Ophthalmic Complications on 140 Cases of Type II Diabetes Mellitus, Babol-Iran. *World Applied Sciences Journal*, 18 (4): 550-553
- Al Nozha, MM., et al. (2004). Diabetes mellitus in Saudi Arabia. *Saudi Medical Journal*. 25(11), 1603-1610
- Al Shamsi, H., Dueker, DK., Sawsan, RN., Al-Shahwan, S. (2009). Neovaskular Glaucoma at King Khaled Eye Specialist Hospital- Etiologic Considerations. *Middle East African Journal of Ophthalmology*. 16, 15-19.
- American Academy of Ophthalmology. Glaucoma, Basic and Clinical Sciences Course, section 10 chap 5, 2008-2009. 138-142
- American Academy of Ophthalmology. Glaucoma, Basic and Clinical Sciences Course, section 12 chap 5, 2008-2009. 150-159
- Apreutesei, NA., Chiselita, D., Motas, OI. (2014). Glaucoma Evolution in Patients with Diabetes. *Rev. Med. Chir. Soc. Med. Nats., lasi.* 8(3), 668-674.
- Arjamaa, O., Nikinmaa, M. (2006). Oxygen-dependent diseases in the retina: role of hypoxia-inducible factors. *Exp Eye Res* ,83: 473–483.
- Bertamian, M. (2004). Glaucoma Neovaskular in Clinical Guide to Glaucoma Management. *Elsevier Inc.* 263 - 269.
- Broman, AT., Congdon, NG., Bandeen-Roche, K., Quigley, HA. (2007). Influence of corneal structure, corneal responsiveness, and other ocular parameters on tonometric measurement of intraocular pressure. *Journal of Glaucoma*. 16(7), 581–588.
- Chia-Pin Lin, Yu-Sheng Lin,Shiu-Chen Wu, Yu-Shien Ko. (2012). Age- and gender-specific association between intraocular pressure and metabolic variables in a Taiwanese population. *Europen Journal of Internal Medicine*, 23:76-82.
- Chihara, E. (2014). Myopia and diabetes mellitus as modificatory faktors of glaucomatous optic neuropathy. *Japan Journal of Ophthalmology*.58, 16-25.
- Chopra, V., Varma, R., Francis, BA., Wu, J., Torres, M., Azen, SP. (2008). Los Angeles Latino Eye Study Group : Type 2 diabetes mellitus and the risk of

- open-angle glaucoma the Los Angeles Latino Eye Study. *Ophthalmology*. 115 (2), 227–232.
- Chul Yoon, K., Kyu Im, S., Seong seo, M. (2004). Changes of Tear Film and Ocular Surface in Diabetes Melitus. *Korean Journal of Ophthalmology*. 18, 168-174.
- Congdon, NG., Broman, AT., Bandeen-Roche, K., Grover ,D., Quigley, HA. (2006). Central corneal thickness and corneal hysteresis associated with glaucoma damage. *American Journal Ophthalmology*. 141, 868-875
- De Voogd, S., Ikram, MK., Wolfs, RC., Jansonius, NM., Witteman, JC., Hofman, A., et al. (2006). Is diabetes mellitus a risk faktor for open-angle glaucoma? The Rotterdam Study. *Ophthalmology*. 113, 1827-1831.
- Dharmadikari, S., Lohiya, K., Chelkar, V., Kalyani, V., Dole, K., Deshpande, M., et al. (2015). Magnoutde and determinants of glaucoma in type II diabetics: A hospital based cross-sectional study in Maharashtra, India. *Oman Journal of Ophthalmology*. 8, 19- 23.
- Dogru, M., Katakami, C., Inoue, M. (2001). Tear function and ocular surface changes in noninsulin-dependent diabetes mellitus. *Ophthalmology*. 108, 586-592.
- Ellis, JD., Evans, JM., Ruta, DA., et al. (2000). Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk faktor for glaucoma? DARTS/MEMO collaboration. Diabetes Audit and Research in Tayside Study. Medicines Monitoring Unit. *British Journal of Ophthalmology*. 84(11), 1218–1224.
- Feman, S., (2006). Diabetes and the Eye chapter 20. *Duane's Ophthalmology*. Diakses tanggal 7 April 2015 dari <http://www.eyecalcs.com/DWAN/pages/v5/v5c020.html>
- Foxton, RH. (2013). VEGF-A is Necessary and Sufficient for Retinal Neuroprotection in Models of Experimental Glaucoma. *The American Journal of Pathology*. 182(4) : 1379-1390.
- Geobbels, M. (2000). Tear secretion and tear film function in insulin dependent diabetes. *British Journal of Ophthalmology*. 84, 19-21.
- Goh, S-Y., and Cooper, ME. (2008). The role of advanced glycation end products in progression and complications of diabetes. *Journal of Clinical Endocrinology Metabolism*. 93 (4), 1143-1152.
- Goldacre, MJ., Wotton, CJ., Keenan, TD. (2012). Risk of selected eye diseases in

- people admitted to hospital for hypertension or diabetes mellitus. *British Journal of Ophthalmology*, 96(6):872-6.
- Guyton, A.C., and Hall, J.E, 2007. *Textbook of Medical Physiology* (11th ed). Philadelphia: Saunders, 220-223.
- Inoue, K., Kato, S., Ohara, C., Numaga, J., Amano, S., Oshika, T. (2001). Ocular and systemic factors relevant to diabetic keratoepitheliopathy. *The Journal of Cornea and External Disease*. 20, 798-801.
- International Diabetes Federation. (2011). The Diabetes Atlas 2011(5th ed). Di akses 20 Maret 2015, dari <http://www.drsharma.ca/world-diabetes-atlas-5th-edition.html>.
- Ishikawa, M., Sawada, Y., Sato, N., Yoshitomi, T., (2011). Risk Factor for Primary open angle glaucoma in Japanese subjects attending community health screenings. *Clinical Ophthalmology*. 5, 1531-1537.
- Jang, C., Lim, JH., Park, CW., Cho, YJ. (2011). Regulator of Calcineurin 1 Isoform 4 (RCAN1.4) Is Overexpressed in the Glomeruli of Diabetic Mice. *Korean Journal Physiology & Pharmacology* (15), 299-305.
- Jeganathan, V., Swetha, E., Wang, JJ., Wong, TY. (2008). Ocular Associations of Diabetes Other Than Diabetic Retinopathy . *Diabetes Care*. 31(9), 1905–1912.
- Kanamori, A., Nakamura, M., Mukuno, H., Maeda, H., Negi, A. (2004). Diabetes has an additive effect on neural apoptosis in rat retina with chronically elevated intraocular pressure. *Current Eye Research (Oxford)*. 28, 47–54.
- Kanski, JJ. (2007). Glaucoma: Primary Open-Angle Glaucoma. In: Edwards, R., ed. *Clinical Ophthalmology, A Systemic Approach*, Sixth Edition. Philadelphia: Saunders, 382-390.
- Kawase, K., Tomidokoro, A., Araie, M., Iwase, A., Yamamoto, T. (2008). Tajimi Study Group; Japan Glaucoma Society. Ocular and systemic factors related to intraocular pressure in Japanese adults: the Tajimi study. *British Journal of Ophthalmology*. 92(9), 1175–1179.
- Kementerian Kesehatan Republik Indonesia. (2007 dan 2013). Riset Kesehatan Dasar 2007 dan 2013. Jakarta.
- Kong, GY., Van Bergen, NJ., Trounce, IA., Crowston JG. (2009). Mitochondrial dysfunction and glaucoma. *Journal of Glaucoma* ,18: 93–100.
- Lange. (2008). Ophthalmology: A Short Textbook. Thieme: New York. 233-237.

- Leske, et al. (2008). Risk Factors for Incident Open-angle Glaucoma : The Barbados Eye Studies. *Ophthalmology*, 115(1) :85-93
- Maberley, D., Walker, H., Koushik, A., Cruess, A. (2003). Screening for diabetic retinopathy in James Bay, Ontario: A cost-effectiveness analysis. *Canadian Medical Association Journal*. 168, 160-4.
- Matsuoka, M., Ogata, N., Matsuyama, K., Yoshikawa, T., Takahashi, K. (2012). Intraocular pressure in Japanese Diabetic Patients. *Clinical Ophthalmology*. 6, 1005-1009.
- Memarzadeh, F., Ying-Lai, M., Azen, SP., Varma, R., (2008). Associations with Intraocular Pressure in Latinos: the Los Angeles Latino Eye Study. *American Journal of Ophthalmology*. 146(1), 69-76.
- Morrison JC., and Pollack IP. (2003). *Neovaskular glaucoma (Chapter 21)*. *Glaucoma Science and Practice*, (1st ed). New York: Thieme Medical Publishers. 226-236.
- Nakamura, M., Kanamori, A., Negi, A. (2005). Diabetes mellitus as a risk faktor for glaucomatous optic neuropathy. *Ophthalmologica*. 219, 1–10.
- Newman-Casey, PA., Talwar, N., Nan, B., Musch, DC., Stein, JD. (2011). The relationship between components of metabolic syndrome and open-angle glaucoma. *Ophthalmology* 118, 1318-1326.
- Oshitari T. (2014). Association Between Diabetes Mellitus and Glaucoma. *International Journal Ophthalmology Eye*. 02(01), 01-02.
- Ozdamar, Y., Cankaya, B., Ozalp, S., Acaroglu, G., Karakaya, J., Ozkan, SS. (2010). Is there a correlation between diabetes mellitus and central corneal thickness? *Journal of Glaucoma* 19, 613-616.
- Perkumpulan Endokrinologi Indonesia (PERKENI). (2006). Konsensus Pengelolaan dan Pencegahan Diabetes Melitus tipe 2 di Indonesia. Jakarta: PERKENI
- Pollreisz, A., and Schmidt-Erfurth, U. (2010). Diabetic cataract-pathogenesis, epidemiology and treatment. *Journal of Ophthalmology*. 1-8
- Purnamasari, D., (2009). Diagnosis dan Klasifikasi Diabetes Melitus. In : Suroyo, A. W., ed. *Buku Ajar Ilmu Penyakit Dalam, Edisi V, Jilid III*. Jakarta: InternaPublishing, 1880-1883.
- Qureshi, I., (1995). Age and intraocular pressure: how are they correlated? . *The Journal of the Pakistan Medical Association*, 45(6): 150.

- Quigley, HA., West, SK., Rodriguez, J., Munoz, B., Klein, R., Snyder, R. (2001). The prevalence of glaucoma in a population-based study of Hispanic subjects. *Ophthalmology*. 119(12), 1819–1826.
- Resnikoff, S., and Pascolini D. (2004). Global Data on visual impairment in the year 2002. 82, 844-851.
- Salmon, J.R. (2008). *Glaukoma. In: Paul R, Whitcher, J.P, ed. Oftalmologi Umum Vaughan & Asbury. (Ed. 17)*. Jakarta: EGC, 212-224
- Sayin, N., Kara, N., Pekel, G. (2015). Ocular Complications of Diabetes Mellitus. *World Journal of Diabetes*. 6(1), 92-108.
- Senthil, S., Garudadri, C., Khanna, RC., Sannapaneni, K. (2010). Angle closure in the Andhra Pradesh Eye Disease Study. *Ophthalmology*. 117, 1729-1735.
- Shaffer, B. (2009). Diagnosis glaucomas in Diagnosis and Therapy of The Glaucomas, *Saint Louis*. 251 – 258 and 20 – 45
- Srikanth & Susmitha. (2013). Comparison of Intraocular Pressure and Body Mass Index in Diabetic and Non-diabetic Individuals:A Pilot Study. *Indian Journal of Basic and Applied Medical Research*. 2 (8):939-945
- Suzuki, Y., Iwase, A., Araie, M., et al. (2006). Risk factors for open-angle glaucoma in a Japanese population: The Tajimi Study. *Ophthalmology*. 113(9), 1613–1617
- Szaflik, JP., Rusin, P., Zaleska-Zmijewska, A., Kowalski, M., Majsterek, I., et al. (2010). Reactive oxygen species promote localized DNA damage in glaucoma-iris tissues of elderly patients vulnerable to diabetic injury. *Mutation Research*. 697, 19–23
- Tan, GS., Wong, TY., Fong, CW., Aung, T. (2009). Diabetes, metabolic abnormalities, and glaucoma. *Arch Ophthalmology*. 127, 1354-1361.
- Tezel, G., Wax, MB. (2004). Hypoxia-inducible factor 1alpha in the glaucomatous retina and optic nerve head. *Ophthalmology*, 122: 1348–1356.
- Tielsch, JM., Katz, J., Quigley, HA., Javitt, JC., Sommer, A. (1995). Diabetes, intraocular pressure, and primary open-angle glaucoma in the Baltimore Eye Survey. *Ophthalmology*. 102(1), 48–53.
- Vijaya, L., George, R., Arvind, H., et al. (2006). Prevalence of Angle-Closure Disease in a Rural Southern Indian Population. *Ophthalmology*, 124(3):403-409.

- Vijaya, L., George, R., Arvind, H., Ve Ramesh, S., Baskaran, M., Raju, P., et al. (2008). Prevalence of primary open-angle glaucoma in an urban south Indian population and comparison with a rural population. The Chennai Glaucoma Study. *Ophthalmology*. 115(4), 648-654.
- Vyas, U., Khandekar, R., Trivedi, N., Desai, T., Danayak, P. (2009). Magnitude and determinants of ocular morbidities among persons with diabetes in a project in Ahmedabad, India. *Diabetes Technology Therapy*. 11, 601-7.
- Wild, S., Roglic, G., Green, A., Sicree, R., King, H. (2004). Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care* vol. 27. 1047–1053.
- World Health Organization. (2009). Visual impairment and blindness, fact sheet No. 282 May 2009. Genewa: *World Health Organization*. Diakses tanggal 20 Maret 2015, dari <http://www.who.int/mediacentre/factsheets/fs282/en/>.
- Xu, L., Xie, XW., Wang, YX., Jonas, JB. (2009). Ocular and systemic factors associated with diabetes mellitus in the adult population in rural and urban China: The Beijing Eye Study. *Eye* (Lond) 2009;23:676-82.
- Yanoff, M., and Duker, J. (2008). *Ophthalmology* (3<sup>rd</sup> ed.). Elsevier.
- Yih-Chung, T., Li, X., Wong, TY., Quigley, H., Aung, T., Cheng, CY. (2014). Global Prevalence of Glaucoma and Projections of Glaucoma Burden through 2040: A Systemic Review and Meta-Analysis. *American Academy of Ophthalmology*. 121 (11), 2081-2090.
- Young Kook,K., Hyuk Jin, C., Jin Wook, J., Ki Ho, P., Dong Myung, Kim. (2014). Five Year Incidence of Primary Open-Angle Glaucoma and Rate of Progression in Health Center-Based Korean Population: The Gangman Eye Study. *PLoS One Journal*, 9(12).
- Zhao, D., Cho, J., Kim, MH., Friedman, D., Guallar E. (2014). Diabetes, Glucose Metabolism, and Glaucoma: The 2005-2008 National Health and Nutrition Examination Survey. *PLoS One Journal*. 9, 1-7.
- Zheng, Y., Wong, TY., Cheung, CY., Lamoureux, E., Mitchell, P., He, M., et al. (2010). Influence of diabetes and diabetic retinopathy on the performance of Heidelberg retina tomography II for diagnosis of glaucoma. *Investigative Ophthalmology and Visual Science*. 51, 5519-24.

