

DAFTAR PUSTAKA

- Amin, Zulkifli dan Bahar, Asril. (2009). *Buku Ajar Ilmu Penyakit Dalam*. Jilid III. Interna Publishing. Jakarta. Hal: 2232
- B.A, Bashir., Ali K, Ageep., S. A, Abufatima and A. A, Mohamedani. (2014). Reactive Thrombocytosis And Erythrocyte Sedimentation Rate In Patients With Pulmonary Tuberculosis. *Journal of Medical Laboratory and Diagnosis*.
- Baratawidjaja, Karnen Garna. (2004). *Imunologi Dasar*: Edisi ke enam. Balai Penerbit Fakultas Kedokteran Universitas Indonesia. Jakarta. Hal: 287-290
- Christoper D Braden, DO, (2015). *Neutropheni*. Diakses 21 Maret 2015 dari <http://emedicine.medscape.com/srticle/204821-overview>
- Departemen Kesehatan Republik Indonesia. (2005). *Pharmaceutical Care untuk Pasien Tuberkulosis*. Jakarta
- Departemen Kesehatan Republik Indonesia. (2007). Diakses dari <http://digilib.unimus.ac.id/download.php?id=13085>
- Departemen Kesehatan Republik Indonesia. (2010). *Laporan Subdit TB Depkes RI 2000-2010 (Tw-1)*. Jakarta
- [Diagnostic for Tuberculosis. Global Demand and Market Potential/TDR, FIND SA, WHO 2006: p.21](#) Maret 2015 dari <http://www.oxfordimmunotec.com/international/products-solutions/healthcare-professional/tuberculosis>

[Dinkes Yogyakarta, \(2013\). Profil Kesehatan daerah Istimewa Yogyakarta tahun 2013.](#)

Gillespie, Stephen and Bamford, Kathleen. (2009). *At a Glance Mikrobiologi Medis Dan Infeksi*. Edisi Ketiga. Penerbit Erlangga. Jakarta. Hal: 40

Girsang, M., Partakusuma, L.G., Lesthiowati, D., Erna. (2006). Penilaian mikroskopis Bakteri Tahan Asam (BTA) menurut skala International Union Association Lung Tuberculosis Disease (IUALTD) di Instalasi Laboratorium Mikrobiologi RS Persahabatan Jakarta. Media Litbang Kesehatan XVI Nomor 3 Tahun 2006

Handojo, I. (1996). Perbandingan Nilai Diagnostik Uji OOT-EIA-TB dan Pathozyme-TB Complex pada Penyakit TB. Media IDI vol 21 no. 4 hal 36-40

Hungund, B.R., Sangolli, S.S., Bannur, H.B., Malur, P.R., Pilli, G.S., Chavan, R.Y.,*et al.* (2012). Blood and Bone Marrow Findings in Tuberculosis in Adults-A Cross Sectional Study. *Al Ameen J Med Sci* 2012; 5 (4): 362-366

Jurnal Tuberkulosis Indonesia Volume 8. (2012). Jakarta. Perhimpunan Pemeberantasan Tuberkulosis Indonesia. Diakses 18 Maret 2015 dari <http://www.ppti.info/ArsipPPTI-Jurnal-Maret-2012.pdf>

K Karthink, M Kesavan, P Tam ilman, M Saravanan, M dashprakasj, (2013). *“Neutrophils in tuberculosis: will code be unlocked?”*

Kementrian Kesehatan Republik Indonesia. (2009). Pedoman penanggulangan tuberkulosis (TB).*Keputusan Menteri Kesehatan Republik Indonesia Nomor 364/Menkes/Sk/V/2009.*

- [Mathew, P.](#), Kuo Yen-Hong, Vazirani, B., [Robert, H. K.](#), and Weinstein, [M. P.](#) (2002, September). Are three sputum acid-fast bacillus smears necessary for discontinuing tuberculosis isolation. *J Clin Microbiol*, 40 (9): 3482–3484
- [Oehadian, Amaylia.](#) (2003). Aspek Hematologi Tuberkulosis. Sub Bagian Hematologi-Onkologi Medik SMF Penyakit Dalam. Bandung.
http://pustaka.unpad.ac.id/wp-content/uploads/2009/11/aspek_hematologi_tuberkulosis.pdf diakses pada 17 Oktober 2015
- Pande, JN., Singh, UB., Sinha, S., Agarwal, RC. (2011). Evaluation Of Risk Factors And Prevalence Of Drug Resistant Tuberculosis In North India. *Journal of Chest*; 128 (4): 40-41.
http://repository.maranatha.edu/3411/3/0910055_Chapter1.pdf
- Perhimpunan Dokter Paru Indonesia. (2006). Tuberkulosis, Pedoman Diagnosis dan Penatalaksanaan di Indonesia. Diakses 21 Maret 2015 dari <http://www.klikdpi.com/konsensus/tb/tb.html>
- Perhimpunan Pemberantasan Tuberkulosis Indonesia. (2012). *Jurnal Tuberkulosis Indonesia* Volume 8. Jakarta. Diakses 18 Maret 2015
- Pernick, Nat. (2002). *Stains Acid Fast. Pathology Outlines*. Revisi 2013. Diakses tanggal 21 Maret 2015 dari <http://www.pathologyoutlines.com/topic/stainsacidfast.html>
- Price, Sylvia A and Wilson, Lorraine, M. (2003). *Patofisiologi, Konsep Klinis Proses-Proses Penyakit*. Edisi 6. Jakarta: EGC

Q J Med (1989) dengan judul “The radiography, haematology and biochemistry of pulmonary tuberculosis in the aged”

Rahajoe, N., Basir, D.,Makmuri, M.S., Kartasasmita, G.B. (2008). *Respirologi Anak*. Jakarta: EGC

Shafee, [M.](#), Abbas, [F.](#), Ashraf, [M.](#), Mengal, [M.A.](#), Kakar, [N.](#), Ahmad, [Z.](#), et al. (2014, Januari). Hematological profile and risk factors associated with pulmonary tuberculosis patients in Quetta, Pakistan. *Pakistan Journal of Medical Sciences*, 30 (1), 36–40. Diakses tanggal 29 Maret 2015, dari <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3955538/>

Shrihari, Narayana., Kumudini T.S. (2012). A Comparison Of Three Different Staining Methods For The Detection Of Acid Fast Bacilli (*Mycobacterium Tuberculosis*) In Sputum Samples. India. *Journal of Pharmaceutical and Biomedical Sciences (JPBMS)*, Vol. 14, Issue 14

Suhail Ahmad. Et al. (2012). Diakses pada tanggal 24 Maret 2015 dari www.ncbi.nlm.nih.gov

The Patient Education Institute. (2012). Diakses pada tanggal 24 Maret 2015 dari www.ncbi.nlm.nih.gov.

World Health Organization, (2015). *Media centre, fact sheets Tuberculosis*.

Tersedia di <http://www.who.int?mediacentre/factsheets/fs104/en/>

World health Organization. (2002). *The Clinical Use of Blood. Blood Transfusion Safety*

World Health Organization. (2014). *Global Tuberculosis Report*. Diakses 17 Maret 2015 dari www.who.int/tb/publications/global_report/en/

Descriptives

BTA Positif			Statistic	Std. Error
Netrofil	1+	Mean	63.40	2.464
		95% Confidence Interval for Mean	57.83	
		Lower Bound		
		Upper Bound	68.97	
		5% Trimmed Mean	64.17	
		Median	67.00	
		Variance	60.711	
		Std. Deviation	7.792	
		Minimum	44	
		Maximum	69	
		Range	25	
		Interquartile Range	7	
		Skewness	-2.112	.687
		Kurtosis	4.367	1.334
	2+	Mean	73.85	.775
		95% Confidence Interval for Mean	72.16	
		Lower Bound		
		Upper Bound	75.53	
		5% Trimmed Mean	73.94	
		Median	74.00	
		Variance	7.808	
		Std. Deviation	2.794	
		Minimum	69	
		Maximum	77	
		Range	8	
		Interquartile Range	5	
		Skewness	-.653	.616
Kurtosis		-.554	1.191	
3+	Mean	85.13	1.104	
	95% Confidence Interval for Mean	82.77		
	Lower Bound			
	Upper Bound	87.50		
	5% Trimmed Mean	85.15		
	Median	85.00		
	Variance	18.267		
	Std. Deviation	4.274		
	Minimum	77		
	Maximum	93		
	Range	16		
	Interquartile Range	6		
	Skewness	.122	.580	
	Kurtosis	.119	1.121	

Tests of Normality

BTA Positif	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Netrofil 1+	.281	10	.024	.704	10	.001
2+	.150	13	.200(*)	.899	13	.131
3+	.153	15	.200(*)	.973	15	.903

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
Netrofil	Based on Mean	2.757	2	35	.077
	Based on Median	.792	2	35	.461
	Based on Median and with adjusted df	.792	2	14.806	.471
	Based on trimmed mean	2.055	2	35	.143

Correlations

			BTA Positif	Netrofil
Spearman's rho	BTA Positif	Correlation Coefficient	1.000	.932(**)
		Sig. (2-tailed)	.	.000
		N	38	38
	Netrofil	Correlation Coefficient	.932(**)	1.000
		Sig. (2-tailed)	.000	.
		N	38	38

** Correlation is significant at the 0.01 level (2-tailed).

