

LAMPIRAN

Lampiran 1

Tabel Penelitian Rekam Medik Pasien

Departemen Bedah : Umum/ Obsgyn/ Ortopedi Diagnosa :

Nama :

Usia : tahun Pemb. Antibiotik profilaksis: Ya / Tidak

Waktu pemberian : Tepat (≤ 30 menit) / Tidak Tepat (>30 menit)

Indikasi :

Jenis antibiotik :

No.	Kriteria	Hari ke-														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1.	Pus															
2.	Nyeri															
3.	Kemerahan															
4.	Perabaan hangat															
5.	Bengkak															
6.	Demam ($>38^{\circ}\text{C}$)															
7.	Hasil Lab.															
No.	Kriteria	Hari ke-														
		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
1.	Pus															
2.	Nyeri															
3.	Kemerahan															
4.	Perabaan hangat															
5.	Bengkak															
6.	Demam ($>38^{\circ}\text{C}$)															
7.	Hasil Lab.															

Lain-lain :

Lampiran 2
Hasil Analisis Data
Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	32	100,0
	Missing Cases	0	,0
	Total	32	100,0
Unselected Cases		0	,0
Total		32	100,0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
Terjadi	0
Tidak terjadi	1

Block 0: Beginning Block

Classification Table^{a,b}

Observed			Predicted		
			Keladian ILO		Percentage Correct
			Terjadi	Tidak terjadi	
Step 0	Keladian ILO	Terjadi	0	5	,0
		Tidak terjadi	0	27	100,0
Overall Percentage					84,4

a. Constant is included in the model.

b. The cut value is ,500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	1,686	,487	11,998	1	,001	5,400

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	antibiotik	14,593	1	,000
	Overall Statistics		14,593	1	,000

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	11,622	1	,001
	Block	11,622	1	,001
	Model	11,622	1	,001

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	16,115 ^a	,305	,525

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than ,001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	,000	0	.

Contingency Table for Hosmer and Lemeshow Test

		Keladian ILO = Terjadi		Keladian ILO = Tidak terjadi		Total
		Observed	Expected	Observed	Expected	
Step 1	1	4	4,000	2	2,000	6
1	2	1	1,000	25	25,000	26

Classification Table^a

Observed			Predicted		
			Keladian ILO		Percentage Correct
			Terjadi	Tidak terjadi	
Step 1	Keladian ILO	Terjadi	4	1	80,0
		Tidak terjadi	2	25	92,6
	Overall Percentage				90,6

a. The cut v alue is ,500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I. for EXP(B)		
							Lower	Upper	
Step 1	antibiotik	3,912	1,338	8,550	1	,003	50,000	3,632	688,335
	Constant	-4,605	2,010	5,249	1	,022	,010		

a. Variable(s) entered on step 1: antibiotik.