

## DAFTAR PUSTAKA

- Adrena., Soeroso, Y., & Bachtiar, E. W. (2008). Evaluasi Pemberian Bahan Allograft dan Alloplast pada Penderita Periodontitis Agresif Menyeluruh dengan Genotipe Positif Alel 2 (+3954) Interleukin-1 Beta. *Indonesian Journal of Dentistry*, 5(2), 135-140.
- Atzet, S., Curtin, S., Trinh, P., Bryant, S., Ratner, B. (2008). Degradable Poly(2-hydroxyethyl methacrylate)-copolycaprolactone Hydrogels for Tissue Engineering Scaffold. *Biomacromolecules*, 9(12), 1-25.
- Aufan, M. R., Daulay, A. H., Indriani, D., Nuruddin, A., Purwasasmita, B. S. (2012). Sintesis Scaffold Alginat-Kitosan-Karbonat Apatit sebagai Bone Graft Menggunakan Metode Freeze Drying. *Jurnal Biofisika* 8(1), 16-24.
- Bullough, P. G. (2010). *Orthopaedic Pathology* (5<sup>th</sup> ed.). New York: Mosby.
- Chang, H., Wang, Y., Chiang, Y., Chen, Y., Chuang, Y., Tsai, S., Heish, K., Lins, F., & Lin, C. (2014). A Novel Chitosan- $\gamma$ PGA Polyelectrolyte Complex Hydrogel Promotes Early New Bone Formation in The Alveolar Socket Following Tooth Extraction. *Plos One*, 9, 1-11.
- Chen, Q., Roether, J. A., Boccaccini, A. R. (2008). Tissue Engineering Scaffolds from Bioactive Glass and Composite Materials. *Topics in Tissue Engineering*, 4, 1-27.
- Djuwita, Ita., Pratiwi, A. I., Winarto, A., & Sabri, M. (2012). Poliferasi dan Diferensiasi Sel Tulang Tikus dalam Medium Kultur In Vitro yang Mengandung Ekstrak Batang Cissus quadrangularis Salisb. (Sipatah-patah). *Jurnal Kedokteran Hewan*, 6, 75-80.
- Dlukha, R. N. (2014). *Formulasi Membran Hidrogel Berpori Berbasis Kombinasi HPMC(Hydroxy Propyl Methyl Cellulose) dan Gelatin dengan Metode Ice Particle Leaching Serta Penetapan Karakteristik Fisik-Mekanik*. Karya Tulis Ilmiah strata satu, Universitas Muhammadiyah Yogyakarta, Yogyakarta.
- Gaikwad, V. V., Patil, A. B., & Gaikwad, M. V. (2008). Scaffold for Drug Delivery in Tissue Engineering. *International Journal of Pharmaceutical Science and Nanotechnology*, 1, 113-122.
- Galperin, A., Long, T. J., Garty, S., Ratner, B. D. (2014). Synthesis and fabrication of a degradable poly(N-isopropyl acrylamide) scaffold for tissue engineering applications. *J Biomed Mater Res A*. 101(3), 775–786.

- Gargiulo, C., Thao, H. D., Tuan, M., Thuy, T. T. T., Van, P. H., Filgueira, L., Toai, T. C. (2010). In Vitro Culture and Differentiation of Osteoblasts on Coral Scaffold from Human Bone Marrow Mesenchymal Stem Cells. *Proceedings of the International Conference on the Development of BME*, 3, 210-214.
- Hastuti, D., & Sumpe I. (2007). Pengenalan dan Proses Pembuatan Gelatin. *Mediagro*, 3, 39-48.
- Hou, R., Chen, F., Yang, Y., Cheng, X., Gao, Z., Yang, H. O., Wu, W., & Mao, T. (2006). Comparative Study Between Coral-mesenchymal Stem Cells-rhBMP-2 Composite and Auto-bone-graft in Rabbit Critical-sized Cranial Defect Model. *Journal of Biomedical Materials Research*, A, 85-93.
- Lichtenauer, M., Nickl, S., Hoetzenrecker, K., Mangold, A., Moser, B., Zimmermann, M., et al. (2009). Phosphate Buffered Saline Containing Calcium and Magnesium Elicits Increased Secretion of Interleukin-1 Receptor Antagonist. *Labmedicine*, 40, 290-293.
- Liu, X., & Ma, P. X. (2004). Polymeric Scaffold for Bone Tissue Engineering. *Annals of Biomedical Engineering*, 32, 477-486.
- Louisia, S., Stromboni, M., Meunier, A., Sedel, L., Petite, H. (1999). Coral Grafting Supplemented with Bone Marrow. *The Journal of Bone and Joint Surgery (Br)*, 81, 719-724.
- Martin, N. C., Pirie, A. A., Ford, L.V., Callaghan, C. L., McTurk, K., Lucy, D., & Scrimger, D.G. (2006) The use of phosphate buffered saline for the recovery of cells and spermatozoa from swabs. *Science and Justice*, 46(3), 1-22.
- Mazaki, T., Shiozaki, Y., Yamane, K., Yoshida, A., Nakamura, M., Yoshida, Y., et al. (2014). A novel, Visible Light-induced, Rapidly Cross-linkable Gelatin Scaffold for Osteochondral Tissue Engineering. *Scientific Report*, 4, 1-10.
- Mescher, A. L. (2011). *Histologi Dasar JUNQUEIRA Teks dan Atlas*. Jakarta:ECG.
- Moscato, S., Ronca, F., Campani, D., & Danti, S. (2015). Poly(vinyl alcohol)/Gelatin Hydrogels Cultured with HepG2 Cells as 3D Model of Hepatocellular Carcinoma: A Morphological Study. *Journal of Functional Biomaterials*, 6, 16-32.

- Noezar, I., Praptowidodo, V. S., Nugraheni, R., Nasution, M. H. (2008). Biodegradable Polymer dari Asam Laktat. *Jurnal Teknik Kimia Indonesia* 6 (2), 626-633.
- Noritake, K., Kuroda, S., Nyan, M., Atsuzawa, Y., Uo, M., Ohya, K., & Kasugai, S. (2014). Use of A Gelatin Hydrogel Membrane Containing  $\beta$ -tricalcium Phosphate for Guided Bone Regeneration Enhances Rapid Bone Formation. *Dental Materials Journal*, 33(5), 674-680.
- O'Brein, F. J. (2011). Biomaterial & Scaffold for Tissue Engineering. *Materials Today*, 14, 88-95.
- Oryan, A., Alidadi, S., Moshiri, A., & Maffulli, N. (2014). Bone Regenerative Medicine: Classic Options, Novel Strategies, and Future Directions. *Journal of Orthopaedic Surgery and Research*, 9, 1-27.
- Parizi, A. M., Oryan, A., Shafiei-Sarvestani, Z., Bigham-Sadegh, A. (2013). Effectiveness of synthetic hydroxyapatite versus Persian Gulf coral in an animal model of long bone defect reconstruction. *J Orthopaed Traumatol*, 14, 259–268.
- Puvaneswary, S., Raghavendran, H. R. B., Ibrahim, N. S., Murali, R. M., Merican, A. M., Kamarul, T. (2013). A Comparative Study on Morphochemical Properties and Osteogenic Cell Differentiation within Bone Graft and Coral Graft Culture Systems. *International Journal of Medicine Sciences*, 10(12), 1608-1614.
- Raggatt, L. J., Partridge, N. C. (2010). Cellular and Molecular Mechanisms of Bone Remodeling. *The Journal of Biochemical Chemistry*, 285, 25103-25108.
- Serra, T. (2014). *Development of 3D-Printed Biodegradable Composite Scaffold for Tissue Engineering Applications*. Karya Tulis Ilmiah strata dua, Universitat Politècnica de Catalunya, Barcelona, España.
- Setyawan, A. A. (2015) *Perbedaan Profil Degradasi Perancah Koral Buatan Berbagai Konsentrasi pada Larutan Phosphate Buffer Saline*. Karya Tulis Ilmiah strata satu, Universitas Muhammadiyah Yogyakarta, Yogyakarta.
- Sung, H., Meredith, C., Johnson, C., Gails, Z. S. (2009). The effect of Scaffold Degradation rate on three-dimensional Cell Growth and Angiogenesis. *Biomaterials*, 25, 5735-5742.
- Susanto, A. D., Kardono. (2008). Teknologi Konservasi dan Rehabilitasi Terumbu Karang. *Jurnal Teknologi Lingkungan*, 9, 121-226.

- Tan, H., & Marra, K. G. (2010). Injectable, Biodegradable Hydrogel for Tissue Engineering Applications. *Materials*, 3, 1746-1767.
- Thakur, G., Mitra, A., Rousseau, D., Basak, A., Sarkar., & Pal, K. (2011). Crosslinking of Gelatin-based Drug Carries by Genipin Induces Changes in Drug Kinetic Profiles in Vitro. *Journal Material Science : Material Medicine*, 22, 115-123.
- Tortora, G. J., Derrickson, B. (2011). *Principle of Anatomy & Physiology (13<sup>th</sup> ed.)*. USA: John Wiley & Sons.
- Vogt, S., Larcher, Y., Beer, B., Wilke, I., & Schnabelrauch, M. (2002). Fabrication og Highly Porous Scaffold Materials Based on Functionalized Oligolactides and Preliminary Result on Their Use in Bone Tissue Engineering. *European Cell and Materials*, 4, 30-38.
- Warastuti, Y., & Suryani, N. (2013). Karakteristik Degradasi dari Biomaterial Poli-(kaprolakton-kitosan-hidroksiapatit) Iridasi dalam Larutan Simulated Body Fluid. *Jurnal Ilmiah Aplikasi Isotop dan Radiasi*, 9, 11-22.
- Wattanutchariya, W., & Changkowchai, W. (2014). Characterization of Porous Scaffold from Chitosan-Gelatin/Hydroxyapatite for Bone Grafting. *Proceedings of IMECS*, 2.
- Wittich, W, J. (2005). *New Automated Industrial Technologies for Improving Chemical Penetration of Bovine Pieces in the Raw Material Processing and Conditioning Areas of Gelatine Manufacture*. Karya Tulis Ilmiah strata dua, University of Canterbury Christchurch, New Zealand.
- Wu, L., & Ding, J. (2004). In Vitro Degradation of Three-dimensional Porous Poly (D,L-lactide-co-glycolide) Scaffold for Tissue Engineering. *Biomaterials*, 25, 5821-5830.
- Xing, Q., Yates, K., Vogt, C., Qian, Z., Frost, M. C., Zhao, F. (2014). Increasing Mechanical Strength of Gelatin Hydrogels by Divalent Metal Ion Removal. *Scientific Reports*, 4:4706, 1-10.
- Zhong, D., Wang, C., Yin, K., Liao, Q., Zhou, X., Liu, A., & Kong, L. (2014). In vivo Ossification of A Scaffold Combining  $\beta$ -tricalcium Phosphate and Platelet – Rich Plasma. *Experimental and Therapeutic Medicine*, 8, 1381-1388.