


## LAMPIRAN

### Lampiran 1: HASIL PENGUKURAN BERAT BADAN TIKUS SELAMA PENELITIAN

Data berat badan tikus pada kondisi awal, hiperlipidemia, sebelum perlakuan dan sesudah perlakuan



Berat Badan Tikus		15-Jun-11	18-Jun-11	25-Jun-11			4-Jul-11
No	Kode	BB	BB	BB	Exstrak	Sonde	BB
		Gram	Gram	Gram	mg	ml	Gram
.1	K (-) 1	175	179	193		1.93	204
.2	K (-) 2	180	183	198		1.98	210
.3	K (-) 3	182	186	201		2.01	213
.4	K (-) 4	188	191	204		2.04	217
.5	K (-) 5	185	188	205		2.05	216
.6	K (+) 1	184	189	204	0.1836	2.04	217
.7	K (+) 2	188	193	207	0.1863	2.07	219
.8	K (+) 3	178	182	197	0.1773	1.97	209
.9	K (+) 4	190	194	210	0.1890	2.10	223
.10	K (+) 5	183	188	203	0.1827	2.03	216
			TOTAL	1021	0.9189	10.21	
.11	90.1	185	189	203	91.35	2.03	211
.12	90.2	189	192	208	93.60	2.08	217
.13	90.3	178	181	197	88.65	1.97	205
.14	90.4	177	180	195	87.75	1.95	204
.15	90.5	183	187	203	91.35	2.03	212
			TOTAL	1006	452.70	10.06	
.16	180.1	186	190	204	183.60	2.04	214
.17	180.2	189	193	210	189.00	2.10	220
.18	180.3	183	188	202	181.80	2.02	206
.19	180.4	181	186	200	180.00	2.00	208
.20	180.5	180	184	199	179.10	1.99	207
			TOTAL	1015	913.50	10.15	
.21	360.1	190	195	211	379.80	2.11	221
.22	360.2	179	184	201	361.80	2.01	210
.23	360.3	186	191	208	374.40	2.08	217
.24	360.4	176	180	197	354.60	1.97	206
.25	360.5	182	186	203	365.40	2.03	212
			TOTAL	1020	1836.00	10.20	

Lampiran 2: **HASIL PENGUKURAN KADAR TRIGLISERIDA**

Data kadar trigliserida tikus pada kondisi awal, hiperlipidemia, dan setelah perlakuan.

<b>KELOMPOK</b>	<b>TIKUS</b>	<b>HARI KE-1 (mg/dL)</b>	<b>HARI KE- 8 (mg/dL)</b>	<b>HARI KE- 18 (mg/dL)</b>
Kontrol (-)	1	51.11	168.77	169.74
	2	51.85	171.00	173.43
	3	53.33	174.72	176.38
	4	48.89	169.52	171.96
	5	57.78	176.95	178.60
RATA- RATA		52.59	172.19	174.02
Kontrol (+) Simvastatin 0,18 mg/ 200 grBB/ hari	1	57.04	178.44	81.18
	2	59.26	179.18	83.39
	3	54.07	177.70	80.44
	4	56.30	182.16	84.87
	5	58.52	184.39	81.92
RATA- RATA		57.04	180.37	82.36
Biji rambutan Dosis I 90 mg/ 200 grBB/ hari	1	60.00	171.00	140.22
	2	60.74	168.77	143.17
	3	57.04	176.95	146.13
	4	57.78	182.16	141.70
	5	59.26	175.46	145.39
RATA- RATA		58.96	174.87	143.32
Biji rambutan Dosis II 180 mg/ 200 grBB/ hari	1	52.59	176.95	123.25
	2	54.07	171.00	119.56
	3	57.78	179.18	125.46
	4	61.48	182.16	130.63
	5	59.26	180.67	121.03
RATA- RATA		57.04	177.99	123.99
Biji rambutan Dosis III 360 mg/ 200 grBB/ hari	1	63.70	182.90	88.56
	2	56.30	175.46	86.35
	3	57.78	171.75	91.51
	4	54.07	169.52	93.73
	5	62.22	171.00	92.25
RATA- RATA		58.81	174.13	90.48

## Lampiran 3: TES NORMALITAS.

## Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kontrol negatif sebelum	,233	5	,200*	,908	5	,457
Kontrol negatif sesudah	,167	5	,200*	,978	5	,924
Kontrol positif sebelum	,264	5	,200*	,903	5	,429
Kontrol positif sesudah	,198	5	,200*	,957	5	,787
Perlakuan I sebelum	,170	5	,200*	,971	5	,882
Perlakuan I sesudah	,199	5	,200*	,950	5	,737
Perlakuan II sebelum	,208	5	,200*	,910	5	,470
Perlakuan II sesudah	,168	5	,200*	,945	5	,699
Perlakuan III sebelum	,271	5	,200*	,861	5	,234
Perlakuan III sesudah	,236	5	,200*	,946	5	,708
Trigliserida	,233	5	,200*	,887	5	,343



## Lampiran 4: T-test.

## Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Kontrol negatif sebelum	172,1933	5	3,51099	1,57016
	Kontrol negatif sesudah	174,0221	5	3,51620	1,57249

## Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Kontrol negatif sebelum & Kontrol negatif sesudah	5	,984	,002

## Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kontrol negatif sebelum - Kontrol negatif sesudah	-1,82883	,61899	,27682	-2,59741	-1,06026	-6,607	4	,003

Lampiran 5: **One-way ANOVA.****Paired Samples Statistics**

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Kontrol positif sebelum	180,3717	5	2,81155	1,25736
	Kontrol positif sesudah	82,3616	5	1,77736	,79486

**Paired Samples Correlations**

		N	Correlation	Sig.
Pair 1	Kontrol positif sebelum & Kontrol positif sesudah	5	,445	,453

**Paired Samples Test**

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kontrol positif sebelum - Kontrol positif sesudah	98,01012	2,57280	1,15059	94,81557	101,20468	85,182	4	,000

**Paired Samples Statistics**

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Perlakuan I sebelum	174,8699	5	5,24150	2,34407
	Perlakuan I sesudah	143,3210	5	2,46985	1,10455

**Paired Samples Correlations**

		N	Correlation	Sig.
Pair 1	Perlakuan I sebelum & Perlakuan I sesudah	5	,157	,801

Lampiran 6: **Post Hoc Test**

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Perlakuan I sebelum - Perlakuan I sesudah	31,54886	5,43259	2,42953	24,80340	38,29431	12,986	4	,000