

Hubungan Dukungan Sosial Keluarga terhadap Skor *Brief Psychiatric Rating Scale* pada Pasien Skizofrenia di Instalasi Rawat Inap RSJ Grhasia DIY

Adiyana Dwi Lestari¹, Puji Sutarjo S.Kep, Ns²

¹*Mahasiswa PSIK Universitas Muhammadiyah Yogyakarta*

²*Bagian Psikiatri Universitas Muhammadiyah Yogyakarta*

Intisari

Skizofrenia merupakan suatu sindrom yang disebabkan oleh bermacam penyebab yang ditandai dengan penyimpangan pikiran dan persepsi yang tidak wajar. Pasien Skizofrenia akan mengalami kemunduran dalam kehidupan sehari-hari, hal ini ditandai dengan hilangnya motivasi dan tanggung jawab, selain itu pasien cenderung apatis dan menghindari kegiatan. Untuk mengetahui tingkat kesembuhan pasien skizofrenia dapat diukur dengan menggunakan instrument *Brief Pschiatric Rating Scale* (BPRS), selain itu ketersediaan dukungan sosial juga berpengaruh positif terhadap kesembuhan pasien skizofrenia bahkan dapat meningkatkan kualitas hidup pasien tersebut.

Tujuan umum penelitian ini adalah mengetahui hubungan dukungan sosial keluarga terhadap skor BPRS pada pasien skizofrenia. Penelitian ini merupakan penelitian kuantitatif dengan pendekatan *cross sectional*. Sampel dari penelitian ini adalah 50 orang pasien rawat inap yang diperbolehkan pulang oleh tim medis dan keluarga yang menjemput dan diambil secara *purposive sampling*.

Hasil analisa data dilakukan dengan menggunakan *Spearman Rank*. Analisa data diperoleh nilai koefisien korelasi (r) sebesar 0,122 dengan $p= 0,398$ ($p \geq 0,05$). Angka tersebut menunjukkan bahwa tidak terdapat hubungan yang signifikan antara kedua variabel.

Kesimpulan dari penelitian ini adalah tidak terdapat hubungan antara dukungan sosial keluarga terhadap skor BPRS pada pasien skizofrenia di Instalasi Rawat Inap RSJ Grhasia DIY, hal ini dapat terjadi karena faktor budaya, pekerjaan, isolasi sosial, lingkungan atau adanya stigma.

Kata Kunci: Dukungan Sosial, *Brief Pschiatric Rating Scale* , Pasien Skizofrenia Rawat Inap

The Relationship of Family Social Support to Brief Psychiatric Rating Scale on Skizofrenia Patient in Hospitalization of RSJ Grhasia DIY

Adiyana Dwi Lestari¹, Puji Sutarjo S.Kep, Ns²

¹*Nursing Student of Universitas Muhammadiyah Yogyakarta*

²*Psychiatry Division of Universitas Muhammadiyah Yogyakarta*

ABSTRACT

Schizophrenia is a syndrome caused by a variety of causes that is characterized by lapses of mind and perception that is not fair. Schizophrenia patients will experience a setback in daily life. It is characterized by a loss of motivation and responsibility, in addition to the patient and to avoid activities tends to be apathetic. To determine the cure rate of patients with schizophrenia can be measured using the instrument Psychiatric Brief Rating Scale (BPRS), This measuring tool used due quick, efficient, fast because it only takes 10 to 20 minutes and economical because a more detailed evaluation procedures, in addition to the availability of social support also have a positive influence on the recovery of patients with schizophrenia can even improve the quality of life of these patients.

The general purpose of this study to determine the relationship of family social support against BPRS scores in patients with schizophrenia. This study is a quantitative research with the cross sectional approach. The population in this study are all family and schizophrenics who are inpatient in of DIY Grhasia Asylum are 80 people, while samples of this research are 50 people hospitalized patients discharged from the medical team and the family were picked and taken by purposive sampling.

The results of the data are analyzed by Spearman Rank. The analysis of data obtained coefficient correlation value (r) of 0.122 with $p = 0.398$ ($p \geq 0,05$). The number indicate can be concluded that there is no significant relationship between The conclusion of this study there was no association between both variables.

The conclusion of this study there was no relationship between social support to the family of BPRS scores in patients with schizophrenia in Inpatient RSJ Grhasia DIY, this can occur due to cultural factors, employment, social isolation, environmental or stigma.

Keywords: Social Support, Brief Psychiatric Rating Scale, Schizophrenia Patients Hospitalization

