

ABSTRACT

Sterilization is one of the effective methods and the chosen one that is relatively new in Indonesia as one of the contraception methods. Sterilization can be implemented in women (tubectomy) and men (vasectomy). Sterilization for women is to support the National Family Program being increased. This condition because of the Minilaparotomy and Laparoscopy becoming more safe, quick and high effectiveness. Besides that it also because of the variety way of tubectomy sterilization such as Pomeroy tubectomy and Fallope Ring tubectomy.

The purpose in this research is to see the relation between Pomeroy tubectomy sterilization and Fallope Ring with the side effect to the menstruation cycle in patient, using Pomeroy tubectomy sterilization and Fallope Ring in DR. Sardjito Hospital in Yogyakarta in the period 1996 to 1999.

The data is taken from January 1996 to December 1999 in the medical record unit in DR. Sardjito Hospital in Yogyakarta. The data is analyzed by statistical test Chi Square test. The result in the research, there are 50 patients using Fallope Ring and 57 patients using Pomeroy.

Patients using Pomeroy most of them had a menstruation disorders. And by statistics there is no effect between Pomeroy sterilization and Fallope Ring to the menstruation disorder, such as menorrhagia, leucorrhoea, spotting, dysmenorrhea, amenorrhea and menstruation instability.

Key words: sterilization, Pomeroy, Fallope Ring, menstruation disorder

INTISARI

Sterilisasi merupakan salah satu metode efektif dan terpilih yang relatif baru di perkenalkan di Indonesia, sebagai salah satu metode kontrasepsi. Sterilisasi dapat dilakukan pada wanita (Tubektomi) dan pada pria (Vasektomi). Perlakuan sterilisasi pada wanita dalam menunjang Program KB Nasional semakin meningkat. Ini disebabkan oleh adanya Minilaparotomi dan Laparaskopi yang aman, cepat, dan dengan efektivitas tinggi. Selain itu juga dengan adanya berbagai macam cara sterilisasi tubektomi antara lain ialah Tubektomi secara POMERY dan CINCIN FALOPE.

Tujuan dilakukannya penelitian ini adalah untuk mengetahui hubungan sterilisasi Tubektomi secara Pomery dan Cincin Falope dengan efek samping yang ditimbulkan terhadap pola menstruasi pada Akseptor Sterilisasi Tubektomi secara Pomery dan Cincin Falope di RSUP DR. Sardjito Yogyakarta periode tahun 1996 – 1999.

Data yang diambil mulai Januari 1996 sampai Desember 1999 di bagian Pencatatan Medik RSUP. DR. Sardjito Yogyakarta. Dan dilakukan analisa dengan uji statistik uji Chi Pangkat Dua. Hasil penelitian ini didapatkan 50 orang melakukan sterilisasi Tubektomi secara Cincin Falope dan 57 orang secara Pomery.

Akseptor dengan Tubektomi secara Pomery sebagian besar mengalami gangguan pola menstruasi. Dan secara statistik tidak didapatkan pengaruh yang bermakna antara perlakuan sterilisasi secara Pomery dan Cincin Falope terhadap gangguan pola menstruasi yang meliputi Menorhagia, Leuchorea, Spotting, Dismenorea, Amenorea dan ketidakteraturan menstruasi.

Kata kunci : Sterilisasi - Pomery dan Cincin Falope - Gangguan