

DAFTAR PUSTAKA

- Anonim, 2000. *Toxoplasma gondii*. Department of Immunology and Infectious Disease Research. <http://www.Research.Institut.of.PAMK.htm>
- Anonim, 2001a. *Toxoplasmosis Public Health Education Information Sheet*. March of Dimer. Ask NOAH About: Pregnancy Fact Sheet WHO. <http://www.noah.health.org/toxoplas.html>
- Anonim, 2001b. *Toxoplasmosis in Cat*. Cornell Feline Health Center. Cornell Veterinary Medicine. <http://web.vet.cornell.edu/public/FHC/toxo.html>
- Azwar Agoes, 1996. *Farmakologi dasar dan klinik Katzung*, edisi keenam, EGC, Jakarta.
- Berrebi A, Kobuch WE, Besieres MH, Bloom MC, Rolland M, Sarramon MF, 1994. Termination of pregnancy for maternal toxoplasmosis, *Lancet*; 344: 36-9.
- Chandra G, 2001. *Toxoplasma gondii : Aspek Biologi, Epidemiologi, Diagnosis, dan Penatalaksanaannya*. *Medika* (5) Tahun XXVII
- Cheng, T.C. 1986. *General Parasitology 2 ed.*, Academic Press Inc., Orlando, Florida.
- Dubey JP, Lindsay DS, Speer CA, 1998. Structures of *Toxoplasma gondii* Tachyzoites, Bradyzoites, and Sporozoites and Biology and Development of Tissue Cysts. *Clin. Microbiol. Rev.* p. 267-299
- Dubey JP, 1999. *Toxoplasma gondii*. <http://www.medimicrochapter84.htm/>
- Figueiredo JF, Silva DAO Cabral DD, Mineo JR, 2001. Seroprevalence of *Toxoplasma gondii* in Goats by the Indirect Haemagglutination, Immunofluorescence and Immunoenzymatic Test in the Region of Uberlandia, Brazil. *Memorias do Instituto Oswaldo Cruz On-line*. Vol 96(5).
- Fuentes I, Rodriguez M, Domingo CJ, Del Castillo F, Juncosa T, Alvar J, 1996. Urine sample used for congenital toxoplasmosis diagnosis by PCR. *J Clin Microbiol*; 34: 2368-71.
- Fuentes I, Rubio JM, Ramirez C and Alvar J, 2001. Genotypic Characterization of *Toxoplasma gondii* Strains Associated with Human Toxoplasmosis in Spain : direct Analysis from Clinical Samples. *J. Clin. Microbiol.* P. 1566-1570
- Gilbert RE, 2000. Undercooked Meats is Chief Cause of Parasite Infection in

- Ghaffar A, 2001. Toxoplasmosis. <<http://www.mic.ki/>> se.
- Grover CM, Thulliez P, Remington JS, Boothroyd JC, 1990. Rapid prenatal diagnosis of congenital *Toxoplasma* infection by using polymerase chain reaction and amniotic fluid. *J Clin Microbiol.* 28: 2297-301.
- Rai SK, Matsumura T, Ono K, Abe A, Hirai K, Rai G, Sumi K, Kubota K, Uga S, Shrestha HG, 1999 High *Toxoplasma* Seroprevalence associated with meat Eating Habits of Locals in Nepal. *Asia Pac J Public Health.* 11(2) (abstract)
- Roberts T, Frenkel JK, 1990. Estimating Income Losses and Other preventable costs Caused by Congenital Toxoplasmosis in The United State. *J Am Vet Med Assc.* 196 : 249-256
- Roghmann MC, Faulkner CT, Lefkowitz A, Patton S, Zimmerman J and Morris, JR JG, 1999. Decreased Seroprevalence for *Toxoplasma gondii* in Seven Day Adventists in Maryland. *Am. J. Trop. Med. Hyg.* 60(5) p. 790-792.
- Sciammarella J, 2001. *Toxoplasma gondii*. <http://www.emedicine.com/>
- Smith JE and Rebeck N, 2000. *Toxoplasma gondii* Strain Variation and Pathogenicity. In. Microbial Foodborne disease. Cary JW, JE linz and D. Bhatnagar (Eds). *Technomic Co. Inc. USA.* P. 405-431
- Soesbandoro SDA, Soewignjos, Erika Gerudy, 1996. Infeksi *Toxoplasma* pada ibu-ibu hamil di RSU Mataram. *MOGI*; 20: 254-5.
- Sulistia GG, 1995. *Farmakologi dan terapi*, edisi keempat, UI, Jakarta.
- Theobald D, 2001. What is Toxoplasmosis. <http://www.toxoplasmosis.htm/>
- Weigel RM, Dubey JP, Dyer D and Siegel AM, 1999. Risk Factors of Infection with *Toxoplasma gondii* for Residents and Workers on Swine Farms in Illinois. *Am. J. Trop. Med. Hyg.* 60(5). p.793-798

1. The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is crucial for ensuring the integrity of the financial statements and for providing a clear audit trail. The text also mentions that proper record-keeping is essential for identifying and correcting errors in a timely manner.

2. The second part of the document focuses on the role of internal controls in preventing fraud and misstatements. It highlights that a strong internal control system is necessary to ensure that all transactions are properly authorized, recorded, and reviewed. The text also notes that internal controls should be designed to be cost-effective and to provide a reasonable level of assurance.