

LAMPIRAN

**SURAT PERNYATAAN
PERSETUJUAN MENGIKUTI PENELITIAN
(INFORMED CONSENT)**

Saya yang bertandatangan dibawah ini,

Nama :

Sekolah :

Setelah mendapat penjelasan dan saya memahami sepenuhnya tentang penelitian yang berjudul :

**HUBUNGAN PENGGUNAAN PIL ORAL KOMBINASI
TERHADAP KADAR GLUKOSA DARAH
PADA WANITA USIA SUBUR
DI DESA CIHEULANG TONGGOH SUKABUMI JAWA BARAT**

Nama Peneliti : Ella Nurul Aulia

Lokasi Penelitian : Desa Ciheulang Tonggoh, Sukabumi, Jawa Barat

Dengan ini saya bersedia menjadi responden dalam penelitian ini.

Sukabumi,

(.....)

Crosstabs

Lama Penggunaan Pil KB * GDP Crosstabulation

			GDP		Total
			Normal	Tinggi	
Lama Penggunaan Pil KB	<= 24 bln	Count	12	5	17
		% within Lama Penggunaan Pil KB	70.6%	29.4%	100.0%
		% within GDP	54.5%	38.5%	48.6%
		% of Total	34.3%	14.3%	48.6%
	> 24 bln	Count	10	8	18
		% within Lama Penggunaan Pil KB	55.6%	44.4%	100.0%
		% within GDP	45.5%	61.5%	51.4%
		% of Total	28.6%	22.9%	51.4%
Total		Count	22	13	35
		% within Lama Penggunaan Pil KB	62.9%	37.1%	100.0%
		% within GDP	100.0%	100.0%	100.0%
		% of Total	62.9%	37.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.846 ^b	1	.358		
Continuity Correction ^a	.325	1	.569		
Likelihood Ratio	.852	1	.356		
Fisher's Exact Test				.489	.285
Linear-by-Linear Association	.822	1	.365		
N of Valid Cases	35				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.31.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Lama Penggunaan Pil KB (<= 24 bln / > 24 bln)	1.920	.475	7.766
For cohort GDP = Normal	1.271	.759	2.126
For cohort GDP = Tinggi	.662	.269	1.627
N of Valid Cases	35		

Crosstabs

Usia * GDP

Crosstab

			GDP		Total
			Normal	Tinggi	
Usia	< 40 th	Count	51	13	64
		% within Usia	79.7%	20.3%	100.0%
		% within GDP	92.7%	86.7%	91.4%
		% of Total	72.9%	18.6%	91.4%
	>= 40 th	Count	4	2	6
		% within Usia	66.7%	33.3%	100.0%
		% within GDP	7.3%	13.3%	8.6%
		% of Total	5.7%	2.9%	8.6%
Total	Count	55	15	70	
	% within Usia	78.6%	21.4%	100.0%	
	% within GDP	100.0%	100.0%	100.0%	
	% of Total	78.6%	21.4%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.552 ^b	1	.457		
Continuity Correction ^a	.050	1	.824		
Likelihood Ratio	.501	1	.479		
Fisher's Exact Test				.602	.381
Linear-by-Linear Association	.545	1	.461		
N of Valid Cases	70				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.29.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (< 40 th / >= 40 th)	1.962	.323	11.906
For cohort GDP = Normal	1.195	.670	2.133
For cohort GDP = Tinggi	.609	.178	2.087
N of Valid Cases	70		

Pendidikan * GDP

Crosstab

			GDP		Total
			Normal	Tinggi	
Pendidikan	SD	Count	22	8	30
		% within Pendidikan	73.3%	26.7%	100.0%
		% within GDP	40.0%	53.3%	42.9%
		% of Total	31.4%	11.4%	42.9%
	SMP	Count	18	3	21
		% within Pendidikan	85.7%	14.3%	100.0%
		% within GDP	32.7%	20.0%	30.0%
		% of Total	25.7%	4.3%	30.0%
	SMA/SMK	Count	14	2	16
		% within Pendidikan	87.5%	12.5%	100.0%
		% within GDP	25.5%	13.3%	22.9%
		% of Total	20.0%	2.9%	22.9%
	PT	Count	1	2	3
		% within Pendidikan	33.3%	66.7%	100.0%
		% within GDP	1.8%	13.3%	4.3%
		% of Total	1.4%	2.9%	4.3%
Total	Count	55	15	70	
	% within Pendidikan	78.6%	21.4%	100.0%	
	% within GDP	100.0%	100.0%	100.0%	
	% of Total	78.6%	21.4%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.529 ^a	3	.137
Likelihood Ratio	4.846	3	.183
Linear-by-Linear Association	.008	1	.927
N of Valid Cases	70		

a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is .64.

Risk Estimate

	Value
Odds Ratio for Pendidikan (SD / SMP)	a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2*2 table without empty cells.

Penggunaan Pil KB * GDP

Crosstab

			GDP		Total
			Normal	Tinggi	
Penggunaan Pil KB	Tidak menggunakan Pil KB	Count	33	2	35
		% within Penggunaan Pil KB	94.3%	5.7%	100.0%
		% within GDP	60.0%	13.3%	50.0%
		% of Total	47.1%	2.9%	50.0%
	Menggunakan Pil KB	Count	22	13	35
		% within Penggunaan Pil KB	62.9%	37.1%	100.0%
		% within GDP	40.0%	86.7%	50.0%
		% of Total	31.4%	18.6%	50.0%
Total	Count	55	15	70	
	% within Penggunaan Pil KB	78.6%	21.4%	100.0%	
	% within GDP	100.0%	100.0%	100.0%	
	% of Total	78.6%	21.4%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10.267 ^b	1	.001		
Continuity Correction ^a	8.485	1	.004		
Likelihood Ratio	11.229	1	.001		
Fisher's Exact Test				.003	.001
Linear-by-Linear Association	10.120	1	.001		
N of Valid Cases	70				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.50.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Penggunaan Pil KB (Tidak menggunakan Pil KB / Menggunakan Pil KB)	9.750	2.001	47.498
For cohort GDP = Normal	1.500	1.148	1.960
For cohort GDP = Tinggi	.154	.037	.632
N of Valid Cases	70		

