

DAFTAR PUSTAKA

- American Heart Association. (2015, 11 Maret). [www.heart.org](http://www.heart.org/HEARTORG/Conditions/HighBloodPressure/AboutHighBloodPressure/Understanding-Blood-Pressure-Readings_UCM_301764_Article.jsp). Diakses 7 April 2015, dari http://www.heart.org/HEARTORG/Conditions/HighBloodPressure/AboutHighBloodPressure/Understanding-Blood-Pressure-Readings_UCM_301764_Article.jsp
- Anggara, F. H. D. & Prayitno, N. (2012). *Faktor-faktor yang Berhubungan dengan Tekanan Darah di Puskesmas Telaga Murni, Cikarang Barat Tahun 2012*. Jurnal Ilmiah Kesehatan S1 Kesehatan Masyarakat STIKes MH. Thamrin
- Agarwal, R., and Weir, M.R. 2010. Dry-Weight: A Concept Revisyed in an Effort to Avoid Medication-Directed Approaches for Blood Pressure Control in Hemodialysis Patients. *Clin J Am Soc Nephrol*, 5:1255-60.
- Astrini, W. A. (2013). *Hubungan Kadar Hemoglobin (Hb), Indeks Massa Tubuh (IMT), dan Tekanan Darah dengan Kualitas Hidup Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis di RSUD Dokter Soedarso Pontianak Bulan April 2013*. Pontianak: Fakultas Kedokteran Universitas Tanjungpura.
- Black. (2005). *Medical Surgical Nursing Clinical Management for Possitive Outcome (7th Ed.)*. Philadelphia: W. B. Saunders Company.
- Brenner & Rector. (2008). *Brenner and Rector's The Kidney (8th ed.)*. Nature Publishing Group: Kidney International Vol 70 Issue 8.
- Carpenter, C. B. & Lazarus, J. M. (2012). *Dialisis dan Transplantasi dalam Terapi Ginjal. Dalam Isselbacher, Braunwald, Wilson, Martin, Fauci, & Kasper (Eds.), Harrison Prinsip-prinsip Ilmu Penyakit Dalam (13th ed., Vol. III, pp.1443-1454)*. Jakarta: EGC
- Chiang, C.-E., et al. (2015). *2015 Guidelines of the Taiwan Society of Cardiology and the Taiwan Hypertension Society for the Management of Hypertension*. Journal of Chinese Medical Association.
- Dahlan, Sopiyudin. (2009). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan Seri 2*. Jakarta: Penerbit Salemba Medika.
- Davis, A. M. & Press, V. (2005). *Easing the Pressure: Tackling Hypertension. A Toolkit for Developing a Local Strategy to Tackle High Blood Pressure*. London: Faculty of Public Health
- Ekart, R., Bevc, S., & Hojs, R. (2011). *Blood Pressure and Hemodialysis, Special Problems in Hemodialysis Patients*. University Medical Centre Maribor,

- Slovenia: Prof. Maria Gonetti Perido (Ed.) ISBN: 978-953-307-396-5, InTech.
- Ferdian, *et al.* (2015). *Hubungan Kadar Anti-C1Q dengan Aktivitas Penyakit pada Penderita Lupus Eritematosus Sistemik.*
- Gerogianni, Georgia K. & Babatsikou, Fotoula P. (2013). *Identification of Stress in Chronic Haemodialysis.* Yunani: Health Science Journal Vol 7 Issue 2
- Horl M. P. & Horl W. H. (2004). *Drug Therapy for Hypertension in Hemodialysis Patients.* Semin Dial dalam Singapuri, M. S., & Lea J. P. (2010). *Management of Hypertension in the End-Stage Renal Disease Patient.* Wayne, PA: Turner White Communication Inc.
- Longo, D. L. (2012). *Harrison's Principles of Internal Medicine Eighteenth Edition.* The McGraw-Hill Companies, Inc.
- Indonesian Renal Registry. (2013). *5th Report of Indonesian Renal Registry 2011.* Jakarta: Perhimpunan Nefrologi Indonesia (Pernefri).
- James, P. A., *et al.* (2014). *2014 Evidence-Based Guideline for the Management of High Blood Pressure in Adults: Report from the Panel Members Appointed to the Eighth Joint National Committee (JNC VIII).* Journal of the American Medical Association
- Jaya, N. (2009). *Faktor-faktor yang Berhubungan dengan Tingkat Kepatuhan Pasien dalam Minum Obat Antihipertensi di Puskesmas Pamulang Kota Tangerang Selatan Propinsi Banten Tahun 2009.* Diambil 6 November 2012. http://perpus.fkik.uinjkt.ac.id/file_digital/Nandang%20Tisna.pdf.
- Dalam Evadewi, P. K. R. & S. L. M. K. S. (2013). *Kepatuhan Mengonsumsi Obat Pasien Hipertensi di Denpasar Ditinjau dari Kepribadian Tipe A dan Tipe B.* Jurnal Psikologi Udayana Vol. 1, No. 1, pp. 32-42.
- Kidney Disease Improving Global Outcome. (2012). *KDIGO Clinical Practice Guideline for Anemia in Chronic Kidney Disease.* Kidney International Supplements Volume 2 Issue 4.
- Leypoldt, *et al.* (2002). *Relationship Between Volume Status and Blood Pressure during Chronic Hemodialysis.* USA: Kidney International, Vol. 61 (2002), pp. 266–275.
- Locatelli, F., Cavalli, A., dan Tucci, B. (2010). *The Growing Problem of Intradialytic Hypertension.* Nephrol; 6: 41-8.
- Mendes, R. B., Santos, S. F., Dorigo, D., *et al.* *The Use of Peridialysis Blood Pressure and Intradialytic Blood Pressure Changes in the Prediction of Interdialytic Blood Pressure in Hemodialysis Patients.* Blood Pressure

- Monit dalam Singapuri, M. S., & Lea J. P. (2010). *Management of Hypertension in the End-Stage Renal Disease Patient*. Wayne, PA: Turner White Communication Inc.
- National Heart Foundation of Australia. (2013). *National Heart Foundation of Australia*. Diakses 5 April 2015, dari www.heartfoundation.org.au/SiteCollectionDocuments/NAHU-Blood-pressure.pdf
- National Institute and Management for Health and Care Excellence. (2014). *National Institute and Management for Health and Care Excellence*. London: NICE. Diakses 5 April 2015, dari www.nice.org.uk/guidance/cg182/resources/guidance=chronic-kidney-disease.pdf
- National Institute of Diabetes, Digestive, and Kidney Disease. (2006). *Treatment Methods for Kidney Failure: Hemodialysis*. New York: NIH Publication No. 07-4666.
- National Kidney Foundation. (2005). *KDOQI Clinical Practice Guidelines for Cardiovascular Disease in Dialysis Patients*. Diakses pada 15 April 2015, dari http://www.kidney.org/professionals/kdoqi/guidelines_cvd/
- National Kidney Foundation. (2010). *High Blood Pressure and Chronic Kidney Disease*. New York. Diakses pada hari Jumat, 1 April 2016 pukul 13:00 dari www.kidney.org/sites/default/files/docs/hbpandckd.pdf
- National Kidney Foundation. (2015). *National Kidney Foundation*. Diakses 5 April 2015, dari www.kidney.org/atoz/content/hemodialysis
- National Kidney Foundation-Kidney Disease Outcome Quality Initiative. (2006). *2006 Updates Clinical Practice Guidelines and Recommendations*. New York: National Kidney Foundation.
- National Kidney Foundation-Kidney Disease Outcome Quality Initiative. (2014). *KDOQI US Commentary on the 2012 KDIGO Clinical Practice Guideline for Management of Blood Pressure in CKD*. New York: National Kidney Foundation.
- National Kidney and Urologic Disease Information Clearinghouse. (2009). *Kidney Disease Statistics for the United States*. MD: NIH Publication No. 12-3895 June 2012.
- O'Challagan, C. (2009). *The Renal System At a Glance* (2nd ed.). Jakarta: Erlangga.

- Panagoutsos, S. A., et al. (2001). *The Clinical Impact of Increasing the Hemodialysis Dose*. Democritus University of Thrace, Division of Nephrology: Hemodial Int., Vol. 5, 51–54, 2001.
- Perkumpulan Nefrologi Indonesia. (2003). *Konsensus Dialisis Perhimpunan Nefrologi Indonesia*. Jakarta: Pernefri.
- Perkumpulan Nefrologi Indonesia. (2012). *5th Report of Indonesian Renal Registry 2011*. Jakarta: Pernefri.
- Price, S. A., & Wilson, L. M. (2005). *Patofisiologi: Konsep Klinis Proses-proses Penyakit Edisi 6*. Jakarta: EGC.
- Raharjo, et al. (2009). *Hemodialisis Dalam Sudoyo, A. W., et al. (Eds). Buku Ajar Ilmu Penyakit Dalam (5th ed., pp. 1050-1052)*. Jakarta: Interna Publishing.
- Rahman, M, et al. (1992). *A Comparison of Standardized versus Usual Blood Pressure Measurements in Hemodialysis Patients*. Am J Kidney Dis 39:1226-1230 diambil dari www2.kidney.org/professionals/kdoqi/guidelines_cvd/guide12.htm pada Rabu, 2 Maret 2016 pukul 21:06
- Rahmiati, S., & Supadmi, W. (2012). *Kajian Interaksi Obat Antihipertensi pada Pasien Hemodialisis di Bangsal Rawat Inap RSU PKU Muhammadiyah Yogyakarta Periode Tahun 2010*. Yogyakarta: Jurnal Ilmiah Kefarmasian Volume 2 No 1, 2012: 97-110.
- Reisin, E. (1997). *Nonpharmacologic Approaches to Hypertension: Weight, Sodium, Alcohol, Exercise, and Tobacco COnsiderations*. Amerika Utara: Med Clin dalam Singapuri, M. S., & Lea J. P. (2010). *Management of Hypertension in the End-Stage Renal Disease Patient*. Wayne, PA: Turner White Communication Inc.
- Rigby-Matthews A., SB, Ahmad S. (1999). *Control of Interdialytic Weight Gain Does Not Require Fluid Restriction in Hemodialysis Patients*. J Am Soc Nephrol dalam Singapuri, M. S., & Lea J. P. (2010). *Management of Hypertension in the End-Stage Renal Disease Patient*. Wayne, PA: Turner White Communication Inc.
- Rivera, J. A. (2012). *Update on The Management of Chronic Kidney Disease*. Diakses 3 April 2015, dari aafp.org/afp/2012/1015/p749.pdf
- RM, H. (2005). *Assessing the Adequacy of Dialysis*. Kidney Int.; 37: 822-32.
- Dalam Ghali, E. J. & Malik A. S. (2012). *Effect of Blood Flow Rate on Dialysis Adequacy in Al-Kadhimiya Teaching Hospital*. Irak: Al-Nahrain College of Medicine.

- Sastroasmoro, S., & Ismael, S. (2011). *Dasar-dasar Metodologi Penelitian Klinis Edisi 4*. Jakarta: CV. Sagung Seto.
- Shimada, K, et al. (1992). *Diurnal Blood Pressure Variations and Silent Cerebrovascular Damage in Elderly Patients with Hypertension*. J Hypertens 10:875-878 diambil dari www2.kidney.org/professionals/kdoqi/guidelines_cvd/guide12.htm pada Rabu, 2 Maret 2016 pukul 21:06
- Singapuri, M. S., & Lea J. P. (2010). *Management of Hypertension in the End-Stage Renal Disease Patient*. Wayne, PA: Turner White Communication Inc.
- Sudoyo, A. W., et al. (Eds.).(2009). *Buku Ajar Ilmu Penyakit Dalam Jilid II Edisi IV*. Jakarta: Interna Publishing.
- Sugiyono. (2012). *Memahami Penelitian Kualitatif*. Bandung: ALFABETA.
- Suwitra, K. (2010). *Penyakit Ginjal Kronik, Dalam Sudoyo, A.W. (ed), Buku Ajar Ilmu Penyakit Dalam Ed ke-5 Jilid 2*. Interna Publishing: Jakarta.
- Swarjana, I. K. (2012). *Metode Penelitian Kesehatan*. Yogyakarta: ANDI.
- Tanto, C., et al. (2014). *Kapita Selekta Kedokteran Edisi IV Jilid II*. Jakarta: Media Aesculapius.
- Tayyebi, A., Samanehshasti, Tadrisi, D., Eynollahi, B., & Sherme, M. S. (2012). *The Relationship between Blood Pressure and Dialysis Adequacy in Dialysis*. Iranian Journal of Critical Care Nursing, Spring 2012, Volume 5, Issue 1, Pages: 49 - 52.
- Tumenggung. (2013). *Hubungan Dukungan Keluarga dengan Kepatuhan Diet Pasien Hipertensi di RSUD Toto Kabilia Kabupaten Bone Bolango*. Tesis.
- Dalam Hairunisa. (2014). *Hubungan Tingkat Kepatuhan Minum Obat dan Diet dengan Tekanan Darah Terkontrol pada Penderita Hipertensi Lansia di Wilayah Kerja Puskesmas Perumnas I Kecamatan Pontianak Barat*.
- United States Renal Data System. (2011). *Annual Data Report: Atlas of Chronic Kidney Disease and End-Stage Renal Disease in the United States, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2011*.
- Vander, A. J., Sherman, J. H., & Luciano, D. S. (1990). *Human Physiology: The Mechanisms of Body Function (International Edition, 5th ed.)*. New York: McGraw-Hill Publishing Company.
- WF, O., et al. (2004). *The Urea Reduction Ratio and Serum Albumin Concentration as Predictors of Mortality Patients Undergoing Hemodialysis*. N Engl J Med; 329: 1001-6. Dalam Ghali, E. J. & Malik A.

- S. (2012). *Effect of Blood Flow Rate on Dialysis Adequacy in Al-Kadhimiya Teaching Hospital*. Irak: Al-Nahrain College of Medicine.
- Yang, Chih-Yu, et al. (2012). *Post Dialysis Blood Pressure Rise Predicts Long-term Outcome in Chronic Hemodialysis Patients: A Four Years Prospective Observational Cohort Study*. Taiwan: BMC Nephrology 13:12
- Zuccali, C. (2003). *Arterial Pressure Components and Cardiovascular Risk in End-Stage Renal Disease*. Nephrol Dial Transplant dalam Singapuri, M. S., & Lea J. P. (2010). *Management of Hypertension in the End-Stage Renal Disease Patient*. Wayne, PA: Turner White Communication Inc.