

DAFTAR PUSTAKA

- Abdel-Mohzen A.M, aly A.S, Hidina R, Montaser A.S, Hebeish A, 2011. Eco-Synthesiis of PVA/Chitosan Hydrogels for Biomedical Application. *J polym Environ*; 19, p1005-1012.
- Ansel H., 1989. Pengantar Bentuk Sediaan Farmasi. Edisi ke-4. Universitas Indonesia Press. Jakarta.
- Baier Leach, J., Bivens, K. A., Patrick, C.W. Jr., and Schmidt, C. E., Photocrosslinked hyaluronic acid hydrogels: natural, biodegradable tissue engineering scaffolds, *Biotechnol. Bioeng.*,82, 578–589, 2003.
- Bose S, Roy M, Bandyopadhyay A. 2012. Recent advances in bone tissue engineering scaffolds. *Trends in biotechnology* 30: 546-554.
- Bryant, S. J., and Anseth, K. S., Hydrogel properties influence ECM production by chondrocyte photoencapsulated in poly(ethylene glycol) hydrogels, *J. Biomed. Mater. Res.*,59, 63–72, 2001.
- Burdick, J. A., and Anseth, K. S., 2002, Photoencapsulation of osteoblasts in injectable RGD-modified PEG hydrogels for bone tissue engineering, *Biomaterials*,23, 4315–4323.
- Chang, C.H., Liu, H.C., Lin, C.C., Chou, C.H., Lin, F.H., 2003, Gelatin–chondroitin–hyaluronan tri-copolymer scaffold for cartilage tissue engineering, *Biomaterials* 24, p4853–4858.
- Chimenti I, Rizzitelli G, Gaetani R, Angelini F, Ionta V, et al. .2011. Human cardiosphere-seeded gelatin and collagen scaffolds as cardiogenic engineered bioconstructs. *Biomaterials* 32: 9271-9281.
- Chiono V, Tonda-Turo C, Ciardelli G., 2009, Chapter 9: Artificial scaffolds for peripheral nerve reconstruction, 87, p173-98.
- Chung, Hyun Jung and park, Tae Gwan. 2007. Surface engineered and drug releasing pre-fabricated scaffolds for tissue engineering. Department of Biological Sciences, Korea Advanced Institute of Science and Technology, Daejeon 305-701, Republic of Korea.
- Dhandayuthani, B., *et al.* 2011. Polymeric Scaffolds in Tissue Engineering Application: A Review. Bio-Nano Electronics Research Centre, Graduate School of Interdisciplinary New Science, Toyo University, Kawagoe, Saitama 350-8585, Japan.
- Dhirisma, F. Sari, DP., 2014. Formulasi Membran Hidrogel Berpori Berbasis Kombinasi HPMC (Hydroxy Propyl Methyl Cellulose) Dan Gelatin Dengan Metode *Gas Foaming* Serta Penetapan Karakteristik Fisik–Mekanik. Universitas Muhammadiyah Yogyakarta : Yogyakarta.
- Dlukha, R., Sari, DP., 2014. Formulasi Membran Hidrogel Berpori Berbasis Kombinasi HPMC (Hydroxy Propyl Methyl Cellulose) Dan Gelatin Dengan

- Metode *ice particle* Serta Penetapan Karakteristik Fisik–Mekanik. Universitas Muhammadiyah Yogyakarta : Yogyakarta.
- Elya, S. 2012. Fosforilasi Gelatin dan Kitosan Sebagai Eksipien Pembuatan Serat Nano Asiatikosida. Universitas Indonesia : Depok.
- Erizal., 2010, Synthesis And Characterization Of Crosslinked Poluacrylamide (Paam)-Carrageenan Hydrogels Superadsorbent Prepared By Gamma Radiation. Centre for the Application Technology of isotopes and Radiation, 10 (1), p12-19.
- Griffith LG, Swartz MA. 2006. Capturing complex 3D tissue physiology in vitro. Nature reviews. Molecular cell biology 7: 211-24.
- Gunatillake, P.A., Adhikari, R., 2003, Biodegradable synthetic polymers for tissue engineering. Eur. Cell Mater.,5, 1-16
- Hjærtstam, J.; Borg, K.; Lindstedt, B. (1990). The effect of tensile stress on permeability of free films of ethyl cellulose containing hydroxypropyl methylcellulose. International Journal of Pharmaceutics, Volume 61, Issues 1–2 (11 June), Pages 101-107.
- Ikada, Y., 2006. Challenges in tissue engineering, J R Soc interface,3, 589-601
- Ikonen L, Kerkelä E, Metselaar G, Stuart MC, de Jong MR, et al. .2013. 2D and 3D self-assembling nanofiber hydrogels for cardiomyocyte culture. Biomed Res Int 2013: 285678. International Journal of Pharmaceutics, Volume 29, Issue 1 (March), Pages 37-41.
- Imanuela, M., Sulisyawati., Ansori, M., 2012. Penggunaan Asam Sitrat Dan Natrium Bikarbonat Dalam Minuman Jeruk Nipis Berkarbonasi. Universitas Negeri Semarang : Semarang.
- Jalili RB, Moeen Rezakhanlou A, Hosseini-Tabatabaei A, Ao Z, Warnock GL, et al. 2011. Fibroblast populated collagen matrix promotes islet survival and reduces the number of islets required for diabetes reversal. J Cell Physiol 226: 1813-1819.
- Kangarlou, S.; Haririan, I.; Gholipour, Y. (2008). Physico-mechanical analysis of free ethyl cellulose films comprised with novel plasticizers of vitamin resources. International Journal of Pharmaceutics, Volume 356, Issues 1–2 (22 May), Pages 153-166.
- Kuo, C. K., and Ma, P. X., 2001, Ionically crosslinked alginate hydrogels as scaffolds for tissue engineering: Structure, gelation rate and mechanical properties, Biomaterials,22, 511–521.
- Langer R, Vacanti J P. 1993. Tissue Engineering. Science 260: 920-926.
- Larsson, M.; Hjærtstam, J.; Berndtsson, J.; Stading, M.; Larsson, A. (2010). Effect of ethanol on the water permeability of controlled release films composed of ethyl cellulose and hydroxypropyl cellulose. European Journal of

- Pharmaceutics and Biopharmaceutics, Volume 76, Issue 3 (November), Pages 428-432.
- Marco, L.D., Baldino, L., Cardea, S., Reverchon, S., 2014, Production of Ethyl Cellulose Scaffolds by Supercritical CO₂ Phase Separation,
- Mooney DJ, Baldwin DF, Suh NP, Vacanti JP, Langer R. Novel approach to fabricate porous sponges of poly(D,L-lactic-co-glycolic acid) without the use of organic solvents. *Biomaterials*.1996; 17:1417–22. [PubMed: 8830969]
- Murtaza, G. 2012, Ethylcellulose Microparticles: A Review, Department Of Pharmaceutics, COMSATS Institute Of Information Technology, Abbottabad, Pakistan. Vol. 69 No. 1 pp. 11-22.
- Omidian hussein, syed-Ali hashemi, Fahimen Askari, Siavash Nafisi. 1994. Swelling and Crosslink Density Measurements for Hydrogels. *Iranian Journal of Polymer Science and Technology*. Vol. 3 No. 2
- Omidian, H. And Park. 2008. Swelling agent and devices in oral drug delivery. Nova southeastern University, collage of pharmacy, Departement of Pharmaceutical Science, Fort Lauderdale, Florida 33328, United State.
- Piyush Bajaj, Ryan M. Schweller, Ali Khademhosseini, Jennifer L. West and Rashid Bashir. 2014. 3D Biofabrication Strategies for Tissue Engineering and Regenerative Medicine.
- Rofifah, Y.N., 2015. Optimasi Formulasi patch amoksisilin berbasis kombinasi HPMC-PVP sebagai kandidat terapi stomatisis aftosa rekuren dan penetapan karakteristik fisik-mekanik. Universitas Muhammadiyah Yogyakarta:Yogyakarta.
- Rouwkema J, Rivron NC, van Blitterswijk CA .2008. Vascularization in tissue engineering. *Trends Biotechnol* 26: 434-441.
- Rowe R.C, Sheskey P.J, Quinn M.E, 2009, Handbook of Pharmaceutical Excipients 6th edition, Pharmaceutical Press and American Pharmacists Association, p159-161.
- Rowe, R.C. (1986). The effect of the molecular weight of ethyl cellulose on the drug release properties of mixed films of ethyl cellulose and hydroxypropylmethylcellulose.
- Sachlos E, Czernuszka JT. Making tissue engineering scaffolds work. Review: The application of solid freeform fabrication technology to the production of tissue engineering scaffolds. *Eur Cells Mater*. 2003; 5:29–40
- Sahoo SK, Panda AK, Labhasetwar V. 2005. Characterization of porous PLGA/PLA microparticles as a scaffold for three dimensional growth of breast cancer cells. *Biomacromolecules* 6:1132-1139.

- Schmedlen, R. H., Masters, K. S., and West, J. L., Photocrosslinkable polyvinyl alcohol hydrogels that can be modified with cell adhesion peptides for use in tissue engineering, *Biomaterials*, 23, 4325–4332, 2002.
- Sokolsky, P.M., Agashi, K., A. Olaye, K. Shakesheff and A.J. 2007. Domb, Polymer carriers for drug delivery in tissue engineering, *Adv. Drug Deliv. Rev.*, 59, 187–206
- Stile, R. A., and Healy, K. E., 2001, Thermo-responsive peptide-modified hydrogels for tissue regeneration, *Biomacromolecules*, 2, 185–194.
- Sudaryati *et al.* 2013. *Kajian Kualitas Fisik Dan Kimia Effervescent Teh Hitam*. FTI UPN “Veteran”, Jawa Timur : Surabaya.
- Thomson, R.C., Shung, A.K., Yaszemski, M.J., dan Mikos, A.G., 2000, Polymer Scaffold Processing, dalam *Principles of Tissue Engineering*, 2nd Ed., R.P. Lanza, R. Langer, and J.P. Vacanti, Eds., Academic Press, San Diego, pp. 251-262
- Tronci, G., 2010, *Synthesis, Characterization and Biological Evaluation of Gelatin-based Scaffolds*” to the University of Potsdam, Germany.
- Tronci, Giuseppe. 2010. *Synthesis, Characterization, and Biological Evaluation of Gelatin-based Scaffolds*. Potsdam: Jerman.
- Whang K, Healy KE, Elenz DR, Nam EK, Tsai DC, Thomas CH, et al. Engineering bone regeneration with bioabsorbable scaffolds with novel microarchitecture. *Tissue Engineering* 1999 Spr;5(1):35-51.
- Young S, Wong M, Tabata Y, Mikos AG., 2005, Gelatin as a delivery vehicle for the controlled release of bioactive molecules, *J Control Release.*, 109(1-3), p256-74.
- Yu D, Li Q, Mu X, Chang T, Xiong Z. Bone regeneration of critical calvarial defect in goat model by PLGA/TCP/rhBMP-2 scaffolds prepared by low-temperature rapid-prototyping technology. *International Journal of Oral and Maxillofacial Surgery* 2008 Oct;37(10):929-934.
- Zhu, junmin. Marchant, roger E., 2011, Design properties of hydrogel tissue-engineering scaffolds, *Expert Rev Med Devices.* 8(5): 607–626. doi:10.1586/erd.11.27.
- Zhu, N. Chen, X. 2013. *Advances in Biomaterials Science and Biomedical Applications*. University of Saskatchewan, Saskatoon, SK, Canada.