

## DAFTAR PUSTAKA

- Abdullah AA. “Basic strength properties of lightweight concrete using agricultural wastes as aggregates” Proceedings of international conference on low-cost housing for developing countries, Roorkee, India; 1984.
- Alengaram, U.J., Jumaat, M.Z., and Mahmud, H.B., (2008) “Influence of Cementitious Materials and Aggregates Content on Compressive Strength of Palm Kernel Shell”, *Journal of Applied Sciences*, Vol. 8(18): 3207-3213
- Altwair, N.M., Megat Johari, M.A., Saiyid Hasyim, S.F., (2011) “Influence of calcination temperature on characteristics and pozzolanic activity of palm oil waste ash” *Australian Journal of Basic and Applied Science* Vol 5(11): 1010-1018.
- ASTM D2166 - 06 Standard Test Method for Unconfined Compressive Strength of Cohesive Soil. ASTM International, 2013.
- ASTM D698-12 Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft<sup>3</sup> (600 kN-m/m<sup>3</sup>), ASTM International, 2013.
- Basri HB, Mannan MA, Zain MFM. Concrete using waste oil palm shells as aggregate. *Cement Concrete Research* 1999;29:619–22
- BSN, “SNI 15-7064-2004: Semen portland komposit”, Badan Standardisasi Nasional, 2004.
- Consoli, N. C., Montardo, J. P., Priettoy, P.D.M., Pasa, G.S. (2002) Engineering behavior of a sand reinforced with plastic waste, *Journal of Geotechnical and Geoenvironmental Engineering*, Vol. 128(6): 462-472
- Diana, W., Muntohar A.S., Rahmawati, A., (2012) “Campuran Limbah Karbit-Abu Sekam Padi-Serat Plastik Untuk Perkuatan Struktur Timbunan Jalan Raya” Laporan Penelitian Hibah Bersaing 2012.

- Gungat, L., Putri, E.E., and Makinda, J. (2013) “Effects of Oil Palm Shell and Curing Time to the Load-Bearing Capacity of Clay Subgrade”, *Procedia Engineering*, Vol. 54 : 690–697
- Hover, K., (2002) “Curing and Hydration - Two half truths don't make a whole”, *L & M Concrete News*, Vol.3, No. 2
- Indiana Departemnt of Transportation, *Guidelines Design Procedures for Soil Modification or stabilization*, 2008.
- Khairul, A.K., Kok, K.C., (2004) “Lime Stabilized Cohesive Soils” *Jurnal Kejuruteraan Awam* 16(1), pp13-23
- Khalid, N., Mukri, M., Kamarudin, F., Sidek, N., Arshad, M.F., (2014) “Strength of Soft Soil Stabilized Using Lime-POFA Mixtures”, *Proceeding of the International Civil and Infrastructure Engineering Conference*, pp 501-510
- Khalid, N., Arsyad M.F., Mukri, M., Kamarudin, F., Ghani A.H.A., (2014) “The California Bearing Ratio (CBR) Value for Banting Soft Soil Subgrade Stabilized Using Lime-POFA Mixtures”, *Proceeding of the International Civil and Infrastructure Engineering Conference*, pp 155-163
- Li, C. (2005) *Mechanical Response of Fiber-Reinforced Soil*, Ph.D. Dissertation, The University of Texas at Austin.
- Lo TY, Tang WC, Cui HZ. (2007) “The effects of aggregate properties on lightweight concrete. *Build Environmental* ;42:3025–9.
- Mahmud, H.B., Jumaat, M.Z. and Alengaram, U.J. (2009) “Influence of Sand/Cement Ratio on Mechanical Properties of Palm Kernal Shell Concrete”. *Journal of Applied Sciences* 9(9) :1764-1769.
- Mannan, M. A. and C. Ganapathy (2001). “Long-term strengths of concrete with oil pal shell as coarse aggregate.” *Cement and Concrete Research* 31(9)-1321.
- Mannan, M. A., Alexander, J., Ganapathy, C., Teo D.C.L., (2006) “Quality improvement of oil palm shell (OPS) as coarse aggregate in lightweight concrete”. *Building and Environment* (9): 1239-1241.

- Muntohar, A.S., and Rahman, M.E., “Lightweight masonry block from oil palm kernel shell. *Construction and Building Materials*, Vol. 54(3), 2014: 477-484
- Muntohar, A.S., “The SiCC Column Improved The Expansive Clay” Proceeding Quality in Research, pp 6-7
- Nugroho, F.K., 2014, Kuat Tekan Bebas Tanah Lempung dengan Perkuatan Kolom Mortar SiCC. Fakultas Teknik Universitas Muhammadiyah Yogyakarta.
- Muthusamy, K. and Azzimah, Z.N., “Exploratory Study of Palm Oil Fuel Ash as Partial Cement Replacement in Oil Palm Shell Lightweight Aggregate Concrete”, *Research Journal of Applied Sciences, Engineering and Technology*, Vol. 8(2), 2014: 150-152.
- Muthusamy, K., Zamri, N., Zubir, M. A., Kusbiantoro, A., & Ahmad, S. W. (2015). Effect of Mixing Ingredient on Compressive Strength of Oil Palm Shell Lightweight Aggregate Concrete Containing Palm Oil Fuel Ash. *Procedia Engineering*, 125, 804–810.
- Nur, M.S., “Karakteristik Kelapa Sawit Sebagai Bahan Baku Bioenergi”. Bioenergi Utama Indonesia. Sangatta-Kutai Timur, Indonesia, 2014
- Okafor, F. O. (1988). Palm kernel shell as a lightweight aggregate for concrete. *Cement and Concrete Research* 18(6): 901-910.
- Okpalo DC. Palm kernel shell as a lightweight aggregate in concrete. *Built Environmental* 1990;25:291–6.
- Olanipekun, E.A., Olusola, K.O., and Ata, O. “A Comparative Study of Concrete Properties Using Coconut Shell and Palm Kernal Shell as coarse Aggregates”, *Journal of Development and Environment* 41, 2006: 297-301
- Oti, J.E., Kinuthia, J.M, Robinson, R., Davies, P., “ The use of palm kernel shell and Ash for concrete production”, *International Journal of Civil, Structural, Construction and Architectural Engineering* Vol.9, No:3, 2015: 210-217
- Pourakbar, S., Asadi, A., Huat, B.K., Fasihnikoutala, M.H., “Stabilization of clayey soil using ultrafine palm oil fuel ash (POFA) and cement”, *Transportation Geotechnics*, Vol. 3, 2015: 24–35

- Pusat Data dan Sistem Informasi Pertanian, Informasi Ringkas Komoditas Perkebunan No 01/01/I, 2013.
- Putri, E.E., Adrian, A., Hariadi, M., Makinda, J., (2015) "Using Oil Palm Shell Aggregate (OPSagg) for Flexible Pavement" Proceeding of the International Civil and Infrastructure Engineering Conference , Vol. 20 : 2041-2054
- Senol, A., Edil T.B., Acosta, H.A., Benson, C.H., (2005) "Soft Subgrades stabilization bu using various fly ashes" Resources, Conservation and Recycling 46 (2006) 365-376.
- Shafiq, P., Jumaat, M.Z., Mahmud, H.B., and Alengaram. U.J., "A New Method of Producing High Strength Oil Palm Shell Lightweight Concrete", *Materials and Design* 32 (2011): 4839-4843
- Santi, P. M., Holschen, J. E., & Stephenson, R. W. (2000). Improving elastic modulus measurements for rock based on geology. *Environmental & Engineering Geoscience*.
- Subiyanto, B., Basri, H., Sari, L.N., Triastuti, and Rosalita, Y., "Components of oil palm (*Elaeis guineensis* Jacq.) shell and its effect on lightweight concrete performance", *Journal of Tropical Wood Science and Technology*, Vol. 5, No. 1, 2007, pp 22-28
- Sukirman, S., 1995, Perkerasan Lentur Jalan Raya, Nova, Bandung.
- Vermeer, P.A., Brinkgreve, R.B.J., (1998), PLAXIS: Finite Element Code for Soil and Rock Analysis (Version 7.1), B alkema, Rotterdam.
- Zandieh, A.R., Yasrobi, S. S., 2010. "Study of Factors affecting the Compressive Strength of Sandy Soil Stabilized with Polymer. *Geotechnical and Geological Engineering*. 28(2) : 139-145