

DAFTAR PUSTAKA

- Akbar, N. (2006). Kelainan enzim pada penyakit hati. Dalam Sudoyo, A. W., Setyohadi, B., Alwi, I., Simadibrata K., M., Setiati, S. *Buku Ajar Ilmu Penyakit Dalam*, Jilid I. Edisi IV. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- American Diabetes Association. (2015). Standards of medical care in diabetes-2015. *The Journal Of Clinical And Applied Research And Education.*, vol (38), sup (1).
- Battell, M.L., Rodrigues, B., Yuen, V.G., Mcneil, J.H. (1999). Treatment and pharmacological interventions in streptozotocin diabetes. In: Experimental models of diabetes, eds Mcneil JH, CRC Press LLC, Florida, pp.195–216
- Bedoya, F.J., Solano, F., Lucas, M. (1996). N-monomethyl-arginine and nicotinamide prevent streptozotocin-induced double strand DNA break formation in pancreatic rat islets. *Experientia* 52, 344–347
- Bennett, R.A., Pegg, A.E. (1981). Alkylation of DNA in rat tissues following administration of streptozotocin. *Cancer Res.* 41, 2786–2790
- Botolin, S., & Laura, R.McC (2007). Bone Loss and Increased Bone Adiposity in Spontaneous and Pharmacologically Induced Diabetic Mice. *Endocrinology* 148(1):198–205.
- Chew, S. L., Leslie, D. 2006. *Clinical Endocrinology and Diabetes an Illustrated color text.* Churcill Livingstone Elsevier's USA, p:70
- Darah Tikus Putih (*Rattus novergicus*) yang Diinduksi *Streptozotocin* (STZ). Fakultas Kedokteran Hewan, Universitas Gadjah Mada, Yogyakarta
- Darryl, R. Meeking : *Diabetes & Endocrinology*,2011
- Deeds, M.C., Anderson, J.M., Armstrong, A.S., Gastineau, D.A., Hiddinga, H.J., Jahangir, A., Eberhardt, N.L., Kudva, Y.C. (2011). Single dose streptozotocin-induced diabetes: considerations for study design in islet transplantation models. *Lab. Anim.* 45, 131–140
- DeFronzo, R., Goodman, A., Efficacy of metformin in patients with non-insulin-dependent diabetes mellitus. The Multicenter Metformin Study Group. *N Engl J Med* 1995;333:541-549.
- Detaille, D., Guigas, B., Leverve, X., Wiernsperger, N., Devos, P. Obligatory role of membrane events in the regulatory effect of metformin on the respiratory chain function. *Biochem Pharmacol* 2002;63:1259-1272.
- Dorland, W. A. N. 2010. *Dorland's Illustrated Medical Dictionary* (29th ed.). Hartanto, H. et al. (ahli bahasa), Jakarta: EGC

- Elsner, M., Guldbakke, B., Tiedge, M., Munday, R., Ana, L.S. 2000. Relative Importance of Transport Ana Alkylolation bot Pancreatic Beta-cell Toxicity of Streptozotocin. *Diabetologia* 43:1528-33
- Etuk, E. U. (2010) Animal models for studying diabetes mellitus. *Agric. Biol. J. N. Am.* 1:130-134.
- Garber, A., Duncan, T., Goodman, A., Mills, D., Rohlf, J. Efficacy of metformin in type-II diabetes: results of a double-blind, placebo controlled, dose response trial. *Am J Med* 1997;102:491-497.
- Ghasemi, A. (2014). Streptozotocin-nicotinamide induced rat model of type 2 diabetes. Impact Factor: 0.73 · DOI: 10.1556/APhysiol.101.2014.4.2 ACTA PHYSIOLOGICA HUNGARICA
- Giannarelli, R., Aragona, M., Coppelli, A., Del Prato, S. Reducing insulin resistance with metformin: the evidence today. *Diabetes Metab* 2003;29:6S28- 6S35.
- Guyton, A.C. and Hall, J.E., 2006. *Textbook of Medical Physiology*. 11th ed. Philadelphia, PA, USA: Elsevier Saunders.
- Handajani, S. (2006). *The Queen of Seeds: Potensi Agribisnis Komoditas Wijen*. Yogyakarta : Andi.
- Hardono, J. (1997). Obat tradisional dalam zaman teknologi. *Majalah Kesehatan Masyarakat*. 56:3-6.
- Hypponen, E. (2004). Micronutrients and the risk of type 1 diabetes: vitamin D, vitamin E, and nicotinamide. *Nutr. Rev.* 62, 340–347
- Islam, M.S., Wilson, R.D. (2012). Experimentally induced rodent models of type 2 diabetes. In: *Animal Models in Diabetes Research*, eds Joost H-G, Al-Hasani H, Schürmann A, Humana Press, New York, pp. 161–174
- Junod, A., Lambert, A.E., Stauffacher, W., Renold, A.E. (1969). Diabetogenic action of streptozotocin: relationship of dose to metabolic response. 48, 2129
- Kaneto, H., Kajimoto, Y., Migawa, J., Matsuoka, T., Fujitani, Y., Umayahara, Y., Hanafusa, T., Matsuzawa, Y., Yamasaki, Y. dan Hori, M. (1999). Beneficial effects of antioxidants in diabetes: possible protection of pancreatic beta cells against glucose toxicity. *Diabetes* 48: 2398-2406.
- Lenzen, S. 2008. The Mechanisms of Alloxan Ana Streptozotocin Induced Diabetes. *Diabetologia* 51:216-26
- Li, H.T., Wu, X.D., Davey, A.K, Wang, J. (2011) Antihyperglycemic effects of baicalin on streptozotocin – nicotinamide induced diabetic rats. *Phytother. Res.* 25, 189–194

- Maiese, K., Chong, Z.Z., Hou, J., Shang, Y.C. (2009). The vitamin nicotinamide: translating nutrition into clinical care. *Molecules* 14, 3446–3485
- Manaf, A. (2014). Insulin: mekanisme sekresi dan aspek metabolisme *In Ilmu penyakit dalam* (6th ed) (pp. 2350-2357). Jakarta: Interna Publishing.
- Mangkoewidjojo, S. (2006) Hewan laboratorium dalam penelitian biomedik. Fakultas Kedokteran Hewan UGM. Yogyakarta. 31-32.
- Masiello, P. (2006). Animal models of type 2 diabetes with reduced pancreatic beta-cell mass. *Int. J. Biochem. Cell. Biol.* 38, 873–893
- Masiello, P., Broca, C., Gross, R., Roye, M., Manteghetti, M., Hillaire-Buys, D., Novelli, M., Ribes, G. (1998). Experimental NIDDM: development of a new model in adult rats administered streptozotocin and nicotinamide. *Diabetes* 47, 224–229
- Matthaei, S., Reibold, J.P., Hamann, A., Benecke, H., Haring, H.U., Greten, H. In vivo metformin treatment ameliorates insulin resistance: evidence for potentiation of insulin-induced translocation and increased functional activity of glucose transporters in obese (fa/fa) Zucker rat adipocytes. *Endocrinology* 1993;133:304-311.
- Muller, S., Denet, S., Candiloros, H., Barrois, R., Wiernsperger, N., Donner, M. Action of metformin on erythrocyte membrane fluidity in vitro and in vivo. *Eur J Pharmacol* 1997;337:103-110.
- Murray, R.K., Granner, D.K., Mayes, P.A., dan Rodwell, V.W. (2003). *Biokimia Harper*. Edisi 25. Jakarta : Penerbit Buku Kedokteran EGC. Halaman 270.
- Musi, N., Hirsman, M.F., Nygren, J., Svanfeldt, M., Bavenholm, P., Rooyackers, O. Metformin increases AMP-activated protein kinase activity in skeletal muscle of subjects with type 2 diabetes. *Diabetes* 2002;51:2074-2081.
- Nagarajan, S., Manonmani, A.J., Duraiswami, S., Balasubramanian, N.K. (2013) Effect of Silymarin on Streptozotocin-Nicotinamide—induced Type 2 Diabetic Nephropathy in Rats. Department of Pharmacology Swamy Vivekanandha College of Pharmacy, Elayampalayam Tiruchengode, Tamil Nadu, India. *IJKD* 2013;7:117-23
- Nijveldt, R.J. 2001. Flavonoid: A Review of Probable Mechanism of Action and Potential Applications. *Am J Clin Nutr.* 74: 418-25.
- Novelli, M., Fabregat, M.E., Fernandez-Alvarez, J., Gomis, R., Masiello, P. (2001). Metabolic and functional studies on isolated islets in a new rat model of type 2 diabetes. *Mol. Cell. Endocrinol.* 175, 57–66
- Oran, K., Jian, S., Shenglin, C., Rushad, D., Peter, E., Jae, B.P., and Mark, L. *Membrane Transport Structure* 30. Cook MN, Girman CJ, Stein PP, Alexander CM, and *Function and Biogenesis: Flavonoid Inhibition of* Holman RR. *Glycemic Control Continues to SVCT1 And GLUT2, Intestinal*

Transporters for Deteriorate After Sulfonylureas are Added to Vitamin C and Glucose. The Journal of Biological Metformin among Patients with Type 2 Diabetes. Chemistry. 2002; 277(18): 15252-15260.

- Palsamy, P., Subramanian, S. (2010). Ameliorative potential of resveratrol on proinflammatory cytokines, hyperglycemia mediated oxidative stress, and pancreatic beta-cell dysfunction in streptozotocin-nicotinamide-induced diabetic rats. *J. Cell. Physiol.* 224, 423–432
- Pandya, K.G., Patel, M.R., Lau-Cam, C.A. (2010). Comparative study of the binding characteristics to and inhibitory potencies towards PARP and in vivo antidiabetogenic potencies of taurine, 3-aminobenzamide and nicotinamide. *J. Biomed. Sci.* 17 Suppl 1, S16
- Panjuantiningrum, F. (2009). Pengaruh pemberian buah naga merah (*hylocereus polyrhizus*) terhadap kadar glukosa darah Tikus putih yang diinduksi aloksan. Surakarta: Fakultas Kedokteran Universitas Sebelas Maret.
- PERKENI. (2011). *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia.*
- Pitkin, R.M., Reynolds, W.A. (1970). Diabetogenic effects of streptozotocin in rhesus monkeys. *Diabetes* 19, 85–90
- Powers AC. Diabetes mellitus. In: Fauci AS, Braunwald E, Kasper DL, Hauser SL, Longo DL, Jameson JL. *Harrison's Principles of Internal Medicine.* 17th Edition. United States: The McGraw-Hill Companies; 2008. hal2275-304.
- Price, A. S., Wilson M. L., 2006. *Patofisiologi Konsep Klinis Proses-Proses Penyakit.* Alih Bahasa: dr. Brahm U. Penerbit. Jakarta: EGC
- Priharyanti, D. 2007. *Muntingia calabura.* <http://florabase.calm.wa.gov.au/browse/flora?f=220&level=f&id=220> (15 Juli 2008).
- Rakhmi. (2008) Pengaruh ekstrak etanol daun muntingia *callabura* L. terhadap kadar glukosa darah mencit *Mus musculus* L. *Swiss Webster* jantan dewasa yang dikondisikan. Available from URL: . Diakses tanggal 20 Desember 2015.
- Sentra IPTEK net. 2005. *Kersen (Talok).* http://www.iptek.net.id/ind/teknologi_pangan/index.php?mnu=2&id=277-17k – (10 Juli 2008).
- Soegondo, S. (2009). Sindrom Metabolik *In Ilmu penyakit dalam* (5th ed) (pp. 1865-1872). Jakarta: Interna Publishing
- Soegondo, S. (2014). Dislipidemia *In Ilmu penyakit dalam* (6th ed) (pp. 2328-2335). Jakarta: Interna Publishing.
- Sterne, J. Treatment of diabetes mellitus with N,Ndimethylguanylguanidine (LA. 6023, glucophage). *Therapie* 1959;14:625-630.

- Suyono, S. (2009). Diabetes Melitus di Indonesia *In Ilmu penyakit dalam* (5th ed) (pp. 1873-1883). Jakarta: Interna Publishing.
- Szkudelski, T. (2001). The mechanism of alloxan and streptozotocin action in B cells of the rat pancreas. *Physiol. Res.*50, 537–546
- Szkudelski, T. (2012). Streptozotocin-nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp. Biol. Med.* (Maywood) 237, 481–490
- Tapp, R., Shaw, J., Zimmet, P. Complications of Diabetes. Dalam: Gan D, Allgot B, King H, Lefebvre P, Mbanya JC, Silink M, penyunting. *Diabetes Atlas*. Edisi ke-2. Belgium: International Diabetes Federation; 2003:h.72-112)
- UK Prospective Diabetes study Group. Effect of intensive blood glucose control with metformin on complications in overweight patients with type 2 diabetes (UKPDS 34). *Lancet* 1998;352:854-865.
- Vembriarto, J.P., Rahmad, S., (2014) Pengaruh Ekstrak Buah Kersen (*Muntingia calabura*) Terhadap Kadar Gula Darah Tikus Putih (*Rattus norvegicus*) yang Diinduksi *Streptozotocin* (STZ). Yogyakarta: 1Fakultas Kedokteran Hewan, Universitas Gadjah Mada, Yogyakarta
- Vembriarto, J.P., Rahmad, S. (2014) Pengaruh Ekstrak Buah Kersen (*Muntingia calabura*) Terhadap Kadar Gula
- Verdayanti, T. E. (2009) Uji efektifitas jus buah kersen (*Muntingia calabura* L.) terhadap penurunan kadar glukosa darah pada tikus putih (*Rattus norvegicus*). Malang: Universitas Muhammadiyah Malang. From: Undergraduate Theses from JIPTUMMPP / 2009-04-22 16:47:40, Biologi
- Wijoyo, Y. (2004) Risalah seminar ilmiah nasional hasil penelitian farmasi 2004. Penerbit Fakultas Farmasi Universitas Sanata Dharma. Yogyakarta. Wiwied, Ekasari. 2009. *Tanaman Obat Berkhasiat Besar*. <http://www.pandjihomepage.com> (10 Februari 2009).