

## DAFTAR PUSTAKA

- Barratt, H., F, H., Car, J., Lyons, C., Layton, A., & Majeed, A. (2009). Outcome measures in acne vulgaris: systematic review. *British Journal of Dermatology* (160), 132-6.
- Baumann, L., & Keri, J. (2009). *Cosmetic Dermatology PRINCIPLES AND PRACTICE, SECOND EDITION*. McGraw-Hill Companies, Inc. All rights reserved.
- Brand, J., Thomas, M., Swan, V., Ahmad, Z., P, P. P., & Colaquiuri, S. (2003). Physiological validation of the concept of glycemic load in lean young adults. (133), 2728-2732.
- Brown, R., & Burns, T. (2005). *Dermatology*. Jakarta: Erlangga.
- Burns, T., Stephen, B., Neil, C., & Christopher, G. (2004). *Rook's Textbook of Dermatology*. Oxford: Blackwell Science.
- Cappel, M., Mauger, D., & Thiboutot, D. (2005). Correlation between serum levels of insulin-like growth factor I, Dehydrotestosterone and acne lesion in adult women. *Arch Dermatol* (14), 333-8.
- Cibula, D., Hill, M., Vohradnikova, O., Kuzel, D., Fanta, M., & Zlvyn, J. (2000). The Role of Androgens in Determining Acne severity in Adult Women. *British Journal of Dermatology* (143), 399-404.
- Cordain, & L. (2002). *Acne vulgaris: a disease of Western civilization*. *Archives of Dermatology*. Retrieved Maret 23, 2015, from <http://archderm.amaassn.org/cgi/content/full/138/12/1591>
- Cuncliff, W., & Gollnick, G. (2001). Clinical features. In M. Dunitz (Ed.), *Acne: Diagnosis and Management* (21th ed., pp. 363-92). London.
- Cuncliff, W., Perera, D., Thackeray, P., Williams, M., Froster, R., & Williams, S. (2008). Acne vulgaris and acneiform eruptions. In *Fitzpatrick's Dermatology in General Medicine* (7 ed., pp. 690-700). New York: Mc.Graw Hill Company.
- Cuncliff, W., Perera, D., Thackeray, P., Williams, M., Froster, R., & Williams, S. (2007). Pilo Sebaceous duct physiology, observation on the number and size of pilo sebaceous ducts in acne vulgaris. *Journal of Dermatology* (95), 153-155.
- Deplewski, D., & Rosenfield, R. (2000). Role of hormones in pilosebaceous unit development. *Endocr Rev* (21), 263-92.
- Djuanda, A. (2007). *Ilmu Penyakit Kulit dan Kelamin*.
- Durianto, D., Sugiarto, & Sitinjak, T. (2001). *Strategi Menaklukan Pasar melalui Riset Ekuitas dan Perilaku Merk*. Jakarta: Gramedia Pustaka Utama.
- Emverawati, M. (2011). *Polimorfisme Gen CYP 1A1 pada Penderita Acne Ringan di Makassar*. Universitas Hasanuddin. Makassar: PhD Thesis.

- Froesch, E., Hussain, M., & Schmid, C. (1996). Insulin-like growth factor-1: physiology, metabolic effects and clinical uses. *diabetes/ metabolism review* (12), 192-215.
- Ganceviciene, R., Graziene, V., Bohm, M., & Zouboulis, C. (2007). Increased in situ expression of melanocortin-I receptor in sebaceous glands of lesional skin of patient with acne vulgaris. *Experimental Dermatology* (16), 547-52.
- Ghodsi, S., & William, H. (2013). Acne Vulgaris. *Br J Hosp Med* , 74 (5), C78-80.
- Ghodzi, S., & William, H. (2013). Acne Vulgaris. *Br J Hosp Med* , V (80), 74.
- Harahap, M. (2000). Ilmu Penyakit Kulit dan Kelamin. Jakarta.
- Hartadi. (2010). Dermatosi Non Bakterial. Semarang: Badan Penerbit UNDIP.
- Jappe, U. (2003). Pathological Mechanism of Acne with Special Emphasis on Propionibacterium acnes and Related Therapy. *Acta Derm Venerol* , 241-248, 83.
- Kurokawa, I., Danby, W., Ju, Q., Wang, X., Xiang, L., & Xia, L. (2009). New Developments in Our Understanding of Acne Pathogenesis and Treatment. *Experimental Dermatology* (18), 821-32.
- Kwon, H., Yoon, J., Hong, J., Jung, J., Park, M., & Suh, D. (2012). Clinical and Histological Effect of a Low Glycaemic Load Diet in Treatment of Acne Vulgaris in Korea Patients: A Randomized, Controlled Trial. *Acta Derm Venerol* , 92, 241-246.
- Madiyono, B., Moeslichan, S., Sastroasmoro, S., Budiman, I., & Purwanto, S. (2008). Perkiraan besar sampel . In S. S, & I. S (Eds.), *Dasar-dasar Metode Penelitian Klinis* (3rd ed., pp. 302-30). Jakarta: Sagung Seto.
- Melnik, B., & Schmitz, G. (2009). Role of insulin, insulin-like growth factor-1, hyperglycaemic food and milk consumption in the pathogenesis of acne vulgaris. *Exp Dermatol* (133), 833-841.
- Miura, Y., Ishige, I., Soejima, N., Suzuki, Y., Uchida, K., Kawana, S., et al. (2010). Quantitative PCR of Propionibacterium acnes DNA in samples aspirated from sebaceous follicles on the normal skin of subjects with or without acne. *J Mes Dent* , 57, 65-74.
- Mourelatos, K., Eady, E., Cunliffe, W., Clark, S., & Cove, J. (2007). Temporal changes in sebum excretion and propionibacterium colonization in preadolescent children with and without acne. *British Journal of Dermatology* , 156, 22-31.
- Nelson, A., & Thiboutot, D. (2008). Biology of sebaceous glands . In K. Wolff, L. GLodsmith, S. Katz, B. Gilchrist, A. Paller, & D. Leffell (Eds.), *Fitzpatrick's Dermatology in General Medicine* (7th ed., pp. 687-90). New York: Mc Graw-Hill.
- Notoatmodjo, & Soekidjo. (2010). *Metodelogi Penelitian Kesehatan*. (R. Cipta, Ed.) Jakarta.
- Rivera, R, G., & A. (2009). In *Management of Acne in Women Over 25 Years of Age* (pp. 100; 33-7). Actas Dermosifiliogr.

- Schmitt, J., Masuda, P., & HA, M. (2009). Acne in women: Clinical patterns in different age-groups. *Anais Brasileiros de Dermatologia* , 84 (4), 349-354.
- Sehgal, V. (2004). *Textbook of Clinical Dermatology* (4 ed.). New Delhi: Jaypee Brothers Medical Publishers (P) Ltd.
- Shrewsbury, V., & et, a. (2009). A randomised controlled trial of a community-based healthy lifestyle program for overweight and obese adolescents: The Loozit study protocol. *BMC Public Health* (9), 119.
- Suliha, & U. (2002). *Pendidikan Kesehatan dalam Keperawatan* . Jakarta: EGC.
- Suliha, U. (2002). *Pendidikan Kesehatan dalam Keperawatan*. Jakarta: EGC.
- Suroso, & Rendra. (2004). *Material dan Metode Edukasi dari Perspektif Sains*. Jakarta: EGC.
- Susanto, S. (2009). *Epidemiologi Akne, Seminar dan Workshop Penanganan Akne* . Semarang.
- Tjekyan, R. (2008). Kejadian dan Faktor Resiko Akne Vulgaris. *Jurnal Kedokteran Media Medika Indonesia* , 43 (1), 37-43.
- Wahyuning, D. (2011). hubungan antara menstruasi dengan angka derajat akne vulgaris pada remaja yang menyatakan bahwa terdapat menstruasi dengan angka derajat akne vulgaris.
- Wasiso, S. (2010). *Perbandingan antara pemakaian bedak tabur dan bedak padat dengan timbulnya akne vulgaris pada karyawan toko luwes gading surakarta*. Fakultas Kedokteran Universitas Muhammadiyah Surakarta.
- Wasitaatmadja, S. (2009). *Ilmu Penyakit Kulit dan Kelamin* (5 ed.). Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Wu, X., Sallinen, K., & Zhou, S. (2000). Androgen excess contributes to altered growth hormone/Insulin-like Growth Factor-1 axis in nonobese women with polycystic ovary syndrome. *Fertility and Sterility* (73730-4).
- Yosipovitch, G., Tang, M., & Dawn, A. (2007). Study of psychological stress, sebum production and acne vulgaris in adolescents. *Acta Derm Venereol* , 87 (2), 135-9.
- Yosipovitch, G., Tang, M., G, A., Dawn, Chen, M., Goh, L., et al. (2007). Study of Psychological Stress, Sebum Production and Acne Vulgaris in Adolescent. *Acta Derm Venereol* , 87, 135-139.
- Youn, S. (2010). The Role of Facial Sebum Secretion in Acne Pathogenesis: Facts and Controversies. *Clinics in Dermatology, South Korea* .
- Youn, S., Park, E., DH, L., CH, H., & Park, K. (2005). Does facial sebum excretion really affect the development of acne? . *British Journal of Dermatology* , 153 (9), 19-24.
- Yu, YS, Cheng, Chen, Y., & W. (2008). Lifetime Course of Akne: A Retrospective Questionnaire Study in School Teachers. *Dermatol Sinica* , 26, 5-10.

- Zaenglein, A., Graber, E., & Thiboutot, D. (2008). Acne vulgaris and acneiform eruptions. In *Fitzpatrick's Dermatology* (7 ed., pp. 690-700). New York: Mc Graw Hill Company.
- Zaenglein, A., Graber, E., THiboutot, D., & Strauss, J. (2008). Acne Vulgaris and Acneiform Eruptions. In W. K, Glodsmith, LA, Katz, SI, & G. BA (Eds.), *Fitzpatrick Clinical Dermatology* (7th Edition ed., pp. 690-702). New York: McGraw-Hill.
- Zouboulis, C., Eady, A., Philpott, M., M, G., Orfanos, L., Cunliffe, W., et al. (2005). What is The Pathogenesis of Acne? *Exp Dermatol* (14), 143-52.
- Zouboulis, C., H, S., N, H., W, C., M, Y., & Oeff, M. (2002). Corticotropin-releasing hormone: an autocrine Kortikotropinreleasing. *Proc Natl Acad Sci USA* , 99, 7148-7153.