

Daftar Pustaka

- Adiputra, Y. A. (2013). Teknik Guillotine dan Gomco Clamp pada Sirkumsisi. *E-Jurnal Medika Udayana* 2.3 , 402.
- Agrawal, S. (2008). Normal Vital Signs in Children: Heart Rate, Respirations, Temperature, and Blood Pressure. *Complex Child E-Magazine* .
- AstraZeneca. (2012). Package Leaflet: Information for the user EMLA Cream 5%. (R. N. People, Ed.) Retrieved from www.medicines.org.uk/emc/PIL.17430.latest.pdf
- AstraZeneca. (2013). *Patent No. PAIN.000-200-924.3.0*. Sweden.
- Atlas, W. (2012). How Expectations Shape Pain. *Neuroscience Letters* .
- BAUS. (2016). Circumcision Procedure-Specific Information for Patients. London: The British Association of Urological Surgeons.
- Blank S., B. M. (2012). Task Force on Circumcision. *American Academy of Pediatric* , 130 (3), 756-775.
- Boyle, G. J. (2015). Circumcision of Infants and Children : Short-Term Trauma and Long-Term Psychosexual Harm. *Advances in Sexual Medicine* , 22-38.
- Budijanto, D. (2014, September). *Sampling dan Besar Sampel*. Retrieved April 12, 2015, from Riset Pembinaan Kesehatan: www.risbinkes.litbang.depkes.go.id
- Carl L, L. J. (2007). Systematic Review of Observational (Behavioral) Measures of Pain for Children and Adolescents Aged 3 to 18 Years. *PAIN* , 140-150.
- Catterall W, M. K. (2001). Local Anesthetics. (T. P. Therapeutics, Ed.) (9).
- Cunha, j. P. (2008, 8 13). EMLA. *Dosage and Administration* .
- Cunningham, L. B. (2013). *Obstetri Williams Edisi 23* (Vol. 1). Penerbit Buku Kedokteran EGC.
- Daili, S. F. (2011). Anatomi Alat Kelamin. In M. H. Djuanda (Ed.), *Ilmu Penyakit Kulit dan Kelamin* (p. 10). Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Daniel s. Wibowo, W. P. (2009). *Anatomi Tubuh Manusia* (Vol. 1). Yogyakarta: Graha Ilmu
- Darsono, L. (2002). Diagnosis dan terapi Intoksikasi Salisilat dan parasetamol. *JKM* , 2 (1).
- Deglin, J. &. (2004). Davi's drug guide for nurse. (p. .: Widiastuti, Ed.) (4th edition).
- Dendi .K, E. O. (2015). Perbandingan Kombinasi Tramadol Parasetamol Intervena dengan Tramadol Ketorolak Intravena terhadap Nilai Numeric Rating Scale dan Kebutuhan Opioid Pascahisterektomi. *Jurnal Anestesi Perioperatif* , 3 (3), 189-195.
- Dewanti. (2013). Analisis Praktik Klinik Keperawatan Kesehatan Masyarakat Perkotaan pada Pasien Spina Bifida di Ruang Bedah Anak Lantai III Utara RSUP Fatmawati. *Fakultas Ilmu Keperawatan Program Profesi Keperawatan* .
- Dickson, T. A. (2010). Manual for Early Infant Male Circumcision Under Local Anesthesia. Switzerland.
- Dobson, M. B. (1994). *Penuntun Praktis Anestesi*. Jakarta: EGC.

- Dorland, W. A. (2012). *kamus Kedokteran Dorland* (Vol. 31). Jakarta, Indonesia: Penerbit Buku kedokteran EGC.
- Drs. Tan Hoan Tjay, D. K. (2007). *Obat-Obat Penting Khasiat, Penggunaan, dan Efek-efek Sampingnya*. Jakarta: PT Elex Media Komputindo kelompok Gramedia.
- Dyah, A. P. (2012). Validitas Skala Nyeri Non Verbal Pain Scale Revised Sebagai Penilaian Nyeri di Ruang Perawatan Intensif Anak. *Sari Pediatri* , 14 (1), 8 - 13.
- El-Gohary, M. A. (2015, Agustus 18). Circumcision: History, Philosophy and Facts. *Scientific Research Publishing* , 115.
- Elliott, A. C. (2012). Critical care : the eight vital signs of patient monitoring. *British Journal of Nursing* , 21 (10), 621 - 625.
- EMLA Data Sheet*. (2015). Auckland: AstraZeneca Limited.
- Fahmy. (2015). Penis. In *Rare Congenital Genitourinary Anomalies : An Illustrated Reference Guide* (p. 7). Berlin, Heidelberg: Springer-Verlag .
- Filippo Varese, F. S. (2012). Childhood Adversities Increase the Risk of Psychosis : A Meta-analysis of Patient-Control, Prospective- and Cross-sectional Cohort Studies. *Schizophrenia Bulletin* , 38 (4), 661-671.
- Fleisher, S. L. (2010). *Textbook of Pediatric Emergency Medicine*. Lippicott Williams & Wilkins.
- Forest, T. M. (2011, Maret 7). *Treat the Pain ... Save a Heart*. Retrieved Januari 16, 2016, from PPM: www.practicalpainmanagement.com
- Guyton, H. (2008). *Fisiologi Manusia : Sensasi Somatik* (Vol. 11). Jakarta: EGC.
- Hakenberg, C. M. (2014, April). *Guideline on Penile Cancer*. (European Association of Urology) Retrieved from uroweb.org
- Hammack, M. A. (2012). Overlapping Neurobiology of Learned Helplessness and Conditioned Defeat : Implications for PTSD and Mood Disorders. *Neuropharmacology* , 62 (2), 565-575.
- Harsono, A. S. (2011). Perbedaan Penyembuhan Luka Post Sirkumsisi dengan Metode Elektro Couter dan Metode Konvensional pada Pasien Sirkumsisi di Poliklinik Morodadi Boyolali. *Jurnal Ilmu Keperawatan Indonesia* , 1 (1), 2.
- Helms, B. (2008). Physiology and Treatment of Pain. *Critical Care Nurse* , 28 (6), 38 - 48.
- Hockenberry, W. (2009). *Wong's Essentials of Pediatric Nursing*. Missouri, Mosby.
- Holbrook, J. (2013, Maret). *Circumcision*. Retrieved from pediatrics.uchicago.edu/chiefs/documents/Circumcision.pdf
- Huguet, S. &. (2009). Measurement of Self-Reported Pain Intensity in Children and Adolescents. www.sickkids.ca/pdfs/Research/I-OUCH/Pain-Assessment/46484-assess_23-measurement.pdf .
- I.Gyftopoulos, K. (2012). The efficacy and safety of topical EMLA cream application for minor surgery of the adult penis. *Urology Annals* , 4 (3), 145 - 149.
- Inke, N. D. (2011). Penanganan Demam pada Anak. *Sari Pediatri* , 12 (6).

- Jacobs, K. S. (2012, Februari 12). Ritual Male Infant Circumcision and Human Rights. *The American Journal of Bioethics* , 33.
- Jayakrishnan, V. M. (2015). Evaluation of Efficacy and Timing of Application of EMLA Cream in Producing Dermal Analgesia for Intravenous Cannulation. *Journal of Evolution of Medical and Dental Sciences* , 4 (53), 9257-9263.
- Kabes AM, G. J. (2009). Further Validation of the Non Verbal Pain Scale in INTensive Care Patients. *Critical Care Nurse* , 59 - 66.
- Kankkunen, K. A. (2009). Cultural Factors Influencing Children's Pain. *International Journal of Caring Sciences* , 2 (3), 126-134.
- Khoirunnas, D. f. (2013). Pengaruh Perbedaan Dosis Electrosurgerydan Scapel terhadap Penyembuhan Klinis Pascasirkumsisi pada Anak Laki-laki. *Program Studi Pendidikan Dokter Fakultas Kedokteran dan Ilmu Kesehatan Universitas Muhammadiyah Yogyakarta* .
- Kimberly A. Pesaturo, P. B. (2009). Topical Anesthesia Use in Children. *US Pharmacist*.
- Kyung Won Chung, H. M. (2012). *Gross Anatomy* (Vol. 7). Philadelphia: Lippincott Williams & Wilkins, a Wolter Kluwer business.
- Lowes, R. (2014, Desember 2). CDC: Advise Hetero Men, Boys, on HIV Benefit of Circumcision. *Medscape Medical News* .
- Lewis, Z. D. (2010, Januari). Reliability and Validity of Faces, Legs, Activity, Cry, Consolability Behavioral Tool in Assessing Acute Pain in Critically Ill Patients. *American Journal of Critical Care* , 55 - 61.
- Margo, L. L. (2010, November 29). Authonomic responses to heat pain : Heart rate, skin conductance, and their relation to verbal ratings and stimulus intensity. *International Association for the Study of Pain* , 597.
- Marta, J. Z. (2014). Paracetamol: Mechanism of Action, Applications and Savety Concern. *Acta Poloniae Pharmaceutica* , 71 (1).
- MIMS. (2013, April). EMLA Eutectic Mixture of Local Anaesthetic Lignocaine and Prilocaine.
- Modgil, S. R. (2014, Mei/Juni). Male Circumcision: Summary of Current Clinical Practice. *Trens in Urology & Men's Health* , 21 - 24.
- Mohanty, M. A. (2015). Layered Dissection Technique of Prepuce for Circumcision in Male Children. *Quest Journals* , 2 (4), 1-2.
- Nursalam. (2008). *Konsep dan penerapan Metodologi Penelitian Keperawatan*. Jakarta: Info Medika.
- Park, T. S. (2015). Topical EMLA Cream as a Pretreatment for Facial Lacerations. *Archives of Plastic Surgery* , 42 (1), 28-33.
- Permatasari, D. (2013). Pengaruh Perbedaan Dosis Electrosurgery dan Scalpel terhadap Tingkat Kerusakan Jaringan Kulit Pascasirkumsisi pada Laki-laki. *Program Studi Pendidikan Dokter Fakultas Kedokteran dan Ilmu Kesehatan Universitas Muhammadiyah Yogyakarta* .
- Perry, R. L. (2012). Child Sexual Abuse, Traumatic Experiences and Their Effect on the Developing Brain. In P. Goodyear-Brown (Ed.), *Handbook of Child Sexual Abuse : Identification, Assessment, and Treatment* (pp. 29-49). New York: John Wiley & Sons, Inc.

- Primatama. (2014). Pengaruh Hipnoterapi terhadap Penurunan Nilai Visual Analog Scale pada Wanita Dysmenorrhea di Universitas Muhammadiyah Yogyakarta. *Program Studi Pendidikan aDokter Fakultas Kedokteran dan Ilmu Kesehatan Universitas Muhammadiyah Yogyakarta* .
- Qane, G. H. (2012). The Efficacy of the EMLA Analgesic Cream in Compare with Placebo in Pediatric Oncology Lumbar Puncture. *Iranian Journal of Pediatric Hematology Oncology* , 2 (2), 44 - 48.
- Ramdhania, G. G. (2013). Perbedaan Dampak Penggunaan EMLA dan Kompres Dingin Terhadap Tingkat Nyeri Anak Usia Sekolah Saat Tindakan Pungsi Vena di RSUD Dr.Slamet Garut.
- Renovaldi, R. N. (2014). Perbandingan Validitas Alat Ukur Nyeri Antara Self-Report Pain Scale dan Observational Pain Pada Nyeri Akut Anak Usia 3-7 Tahun. *JOM* , 1 (2).
- Sabeen Mujeeb, J. A. (2013). Comparison of eutetic mixture of local anesthetics cream with dorsal penile nerve block using lignocaine for circumcicion in infants. *Pakistan Journal of Medical Sciences* , 29 (1), 27 - 30.
- Salem, H. K. (2012, Maret). Merit and Arguments Related to Circumcision. (O. Ozdemir, Ed.) *Complementary Padiatrics* .
- Samodro, D. S. (2011). Mekanisme Kerja Obat Anestesi Lokal. *III* (I).
- Seyed. (2014). The Best Time for Circumcision? *Journal of Pediatrics Review* , 2 (1), 75-76.
- Shrinivas, R. K. (2015). Comparative Evaluation of Efficacy of EMLA Cream (Eutectic Mixture of Local Anesthetic) and Placebo (Normal Saline) in Producing Dermal Analgesia for Venous Cannulation. *Indian Journal of Clinical Anaesthesia* , 2 (1), 27-31.
- Simon, E. N. (2013, Agustus). Male Circumcision, Sexual Behaviour, and HIV Status in Uganda. *Demographic and Health Surveys* , 20.
- Snyder, B. e. (2012). *Kozier and Erb's Fundamental of Nursing: Concepts, Process and Practice* (Vol. 9). USA: Pearson.
- Takdir, M. (2014, April 9). *Intisari* . Retrieved Maret 25, 2015, from Intisari Online: intisari-online.com
- Tsze, B. B. (2013, November 28). *Validation of Self-Report Pain Scales in Children*. Retrieved Januari 29, 2016, from Pediatrics: <http://pediatrics.aapublications.org/content/132/4/e971.full.html>
- Turk, H. D. (2010). Fear of Pain as a Prognostic Factor in Chronic Pain: Conceptual Models, Assessment, and Treatment Implication. *Current Pain and Headache Reports* , 14 (2), 88 - 95.
- Utama, Y. D. (2010, September-Oktober). Anestesi Lokal dan regional untuk Biopsi Kulit. *CDK* , 537.
- Uwhealth. (2013, 11). *Health Facts for You*. Retrieved from uwhealth: www.uwhealth.org
- Venable, E. F. (2015, April). Pain Assessment in Persons With Cognitive Impairment. *medscape* .
- Wasitaatmadja, S. (2011). Faal Kulit. In M. H. Adhi Djuandi (Ed.), *ilmu Penyakit Kulit dan Kelamin* (pp. 7-8). Jakarta: Fakultas Kedokteran Universitas Indonesia.

- WHO. (2007). Male Circumcision Global Trends and Determinants of Prevalence, Safety and Acceptability.
- WHO. (2012). WHO Guidelines on the Pharmacological Treatment of Persisting Pain in Children with Medical illness. *www.ncbi.nlm.nih.gov* . 20 Avenue Apia, 1211 Geneva 27, Switzerland. Retrieved from NCBI: *www.ncbi.nlm.nih.gov*
- Wijaya, I. P. (2014). Analisis Faktor-Faktor yang Mempengaruhi Intensitas Nyeri Pasien Pasca Bedah Abdomen dalam Kontek Asuha Keperawatan di RSUD Badung Bali. *Jurnal Kesehatan Dunia* , 3 (1), 47 - 57.
- Wilson, H. &. (2009). *Wrong's Essentials of Pediatric Nursing*. St.Louis, Mosby.
- Yannick, T.-L. P. (2005, 1 7). Establishing a Link Between Heart Rate and Pain in Healthy Subjects : A Gender Effect. *The Journal of Pain* .
- Yidiyanta, N. K. (2015). Assesment Nyeri. *CDK-226* , 42 (3), 215.