

LAMPIRAN

Lampiran 1. Uji Normalitas Berat Badan

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
beratbada	.261	7	.164	.905	7	.363

a. Lilliefors Significance Correction

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
beratbadar	.187	7	.200*	.945	7	.683

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
beratbada	.219	7	.200*	.875	7	.206

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
beratbada	.263	7	.153	.854	7	.134

Lampiran 2. Uji normalitas dan Paired t test HDL Kelompok 1

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
HDL1pre	.162	7	.200*	.949	7	.717
HDL1post	.193	7	.200*	.910	7	.393

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 HDL1pre - HDL1post	.79857	.48341	.18271	.35150	1.24565	4.371	6	.005


Lampiran 3. Uji normalitas dan Paired t test HDL Kelompok 2

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
HDL2pre	.304	7	.049	.866	7	.171
HDL2post	.119	7	.200*	.967	7	.873

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.



Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 HDL2pre - HDL2post	1.02057	1.02027	.18644	-.182477	-.922371	-7.394	6	.000

Lampiran 4. Uji normalitas dan Paired t test HDL Kelompok 3

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	Df	Sig.
HDL3pre	.174	7	.200*	.951	7	.741
HDL3post	.150	7	.200*	.966	7	.870

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 HDL3pre-HDL3post	.86571	.30309	.11456	.58541	1.14602	7.557	6	.000

Lampiran 5. Uji normalitas dan Paired t test HDL Kelompok 4

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	Df	Sig.
HDL4pre	.108	7	.200*	.978	7	.951
HDL4post	.135	7	.200*	.972	7	.909

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 HDL4pre-HDL4post	0.00745	0.14000	0.00044	0.00680	-0.00715	-18.170	6	.000

Lampiran 6. Uji normalitas dan Paired t test LDL Kelompok 1

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	Df	Sig.
LDL1pre	.239	7	.200*	.874	7	.202
LDL1post	.195	7	.200*	.926	7	.516

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
1 LDL1pre-LDL1post	-1.44571	.33867	.12800	-1.75893	-1.13250	-11.294	6	.000

Lampiran 7. Uji normalitas dan Paired t test LDL Kelompok 2

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	Df	Sig.
LDL2pre	.212	7	.200*	.866	7	.170
LDL2post	.205	7	.200*	.928	7	.537

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
2 LDL2pre-LDL2post	2.07714	.65650	.24813	2.36998	3.58430	11.998	6	.000

Lampiran 8. Uji normalitas dan Paired t test LDL Kelompok 3

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
LDL3pre	.342	7	.013	.795	7	.037
LDL3post	.308	7	.044	.836	7	.090

a. Lilliefors Significance Correction

Paired Samples Test

		Paired Differences				t	df	Sig. (2-tailed)	
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower				Upper
r1	LDL3pre-LDL3post	-1.95571	.97498	.36851	-2.85742	-1.05400	-5.307	6	.002

Lampiran 9. Uji normalitas dan Paired t test LDL Kelompok 4

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
LDL4pre	.362	7	.006	.769	7	.020
LDL4post	.210	7	.200*	.927	7	.528

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Paired Samples Test

		Paired Differences				t	df	Sig. (2-tailed)	
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower				Upper
r2	LDL4pre-LDL4post	4.840450	4.89528	1.92378	150.51881	159.44405	84.978	6	.000